

BS 8612:2018



BSI Standards Publication

**Dry fixed ridge, hip, and verge  
systems for slating and tiling –  
Specification**

**Publishing and copyright information**

The BSI copyright notice displayed in this document indicates when the document was last issued.

The British Standards Institution 2018

Published by BSI Standards Limited 2018

ISBN 978 0 580 90358 8

ICS 91.060.20

The following BSI references relate to the work on this document:

Committee reference B/542

Draft for comment 17/30324405 DC

**Amendments/corrigenda issued since publication**

| Date | Text affected |
|------|---------------|
|------|---------------|

---

# Contents

|   | <b>Page</b> |
|---|-------------|
| <b>Foreword</b>   | <b>iii</b>  |
| 1 Scope   | 1           |
| 2 Normative references  | 1           |
| 3 Terms, definitions and symbols  | 2           |
| 4 Material specifications and durability  | 4           |
| 5 Mechanical resistance   | 6           |
| 6 Ventilation for ridge and hip systems (where provided)  | 6           |
| 7 Rain performance  | 7           |
| 8 Geometric characteristics   | 7           |
| <i>Figure 1 — Developed width ratio</i>   | 8           |
| 9 Marking, labelling and installation instructions  | 8           |
| <b>Annex A</b> (normative) <b>Tensile strength test for ridge-roll products</b>                         | <b>9</b>    |
| <i>Figure A.1 — Tensile test of ridge-roll</i>  | 10          |
| <i>Figure A.2 — Ridge and hip-roll submerged under water for freeze-thaw test</i>                       | 11          |
| <b>Annex B</b> (normative) <b>Peel adhesion test for ridge-roll products</b>                            | <b>12</b>   |
| <i>Figure B.1 — Prepared test specimen</i>  | 13          |
| <i>Figure B.2 — Peel adhesion test of ridge-roll product</i>  | 14          |
| <i>Figure B.3 — Bending the ridge-roll</i>  | 15          |
| <b>Annex C</b> (normative) <b>Determination of wind loads</b>   | <b>16</b>   |
| <i>Figure C.1 — Basic wind speed map showing the wind zones used in Table C.1</i>                       | 17          |
| Table C.1 — Peak velocity wind pressure, $q_p$ (Pa), for sites at an altitude of 100 m above sea level  | 18          |
| Table C.2 — Load safety factors $\gamma_Q$ and material safety factors $\gamma_M$                       | 20          |
| Table C.3 — Serviceability limits   | 20          |
| <b>Annex D</b> (informative) <b>Worked examples of wind uplift and resistance calculations</b>          | <b>21</b>   |
| Table D.1 — Serviceability summary for worked example in D.1  | 23          |
| <b>Annex E</b> (normative) <b>Mechanical resistance tests for ridges, hips and verges</b>               | <b>23</b>   |
| <i>Figure E.1 — Ridge batten to rafter connector and ridge batten vertical load test</i>                | 26          |
| <i>Figure E.2 — Hip batten to hip rafter connector vertical load test</i>                               | 27          |
| <i>Figure E.3 — Continuous verge horizontal load test (verge tiles not shown)</i>                       | 28          |
| <i>Figure E.4 — General arrangement for horizontal load tests on discontinuous verge units</i>          | 29          |
| <i>Figure E.5 — Loading points on discontinuous verge units (verge tiles not shown)</i>                 | 30          |
| <b>Annex F</b> (normative) <b>Vertical load test for wind uplift resistance of verges</b>               | <b>31</b>   |
| <i>Figure F.1 — Example of the test apparatus for determination of uplift resistance of verge units</i> | 32          |
| <i>Figure F.2 — Hinged top batten</i>   | 33          |
| <b>Annex G</b> (normative) <b>Rain drainage from verges test method</b>                                 | <b>36</b>   |
| <i>Figure G.1 — Rain drainage from verges</i>   | 37          |
| <b>Annex H</b> (normative) <b>Ridge-and-hip-roll systems side-strip-elongation test method</b>          | <b>38</b>   |
| <i>Figure H.1 — Ridge assembly for side-strip extension test</i>  | 39          |
| <i>Figure H.2 — Low profile template</i>  | 39          |
| <i>Figure H.3 — High profile template</i>   | 40          |
| <i>Figure H.4 — Example of fabricated low profile template</i>  | 40          |
| <i>Figure H.5 — Example of fabricated high profile template</i>   | 40          |
| <b>Bibliography</b>   | <b>42</b>   |