

# **Circular flanges for pipes, valves and fittings (Class designated) —**

**Part 3: Steel, cast iron and copper alloy  
flanges —**

**Section 3.1 Specification for steel  
flanges**

UDC 621.643.4 – 034.14:669.13:669.35:621.643.411.412.8:001.4:006.3/8

# Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Piping Systems Components Standards Policy Committee (PSE/-) to Technical Committee PSE/15, upon which the following bodies were represented:

British Chemical Engineering Contractors' Association  
 British Compressed Gases Association  
 British Fluid Power Association  
 British Foundry Association  
 British Gas plc  
 British Malleable Tube Fittings' Association  
 British Maritime Technology  
 British Non-ferrous Metals Federation  
 British Pump Manufacturers' Association  
 British Steel Industry  
 British Valve and Actuator Manufacturers' Association Ltd.  
 Combustion Engineering Association  
 Copper Development Association  
 Department of Trade and Industry (National Engineering Laboratory)  
 Ductile Iron Producers' Association  
 Electricity Supply Industry in England and Wales  
 Energy Industries Council  
 Engineering Equipment and Materials Users' Association  
 GAMBICA (BEAMA Ltd.)  
 High Pressure Pipework Consultative Committee  
 Institution of Gas Engineers  
 Institution of Mechanical Engineers  
 Institution of Production Engineers  
 Institution of Water and Environmental Management (IWEM)  
 Water Authorities Association

This British Standard, having been prepared under the direction of the Piping Systems Components Standards Policy Committee, was published under the authority of the Board of BSI and comes into effect on 30 June 1989

© BSI 04-2000

First published as BS 1560-2 November 1970

First revision as BS 1560-3.1 June 1989

The following BSI references relate to the work on this standard:

Committee reference PSE/15  
 Draft for comment 85/78241 DC

## Amendments issued since publication

Amd. No.	Date of issue	Comments
7557	June 1993	
8593	July 1995	Indicated by a sideline in the margin

ISBN 0 580 17046 2

# Contents

	Page
Committees responsible	Inside front cover
Foreword	iii
<hr/>	
1 Scope	1
2 Ranges of nominal sizes	1
3 Class designations and pressure/temperature ratings	1
4 Materials	1
5 Bolting	2
6 Repairs	2
7 Dimensions	2
8 Flange facings	3
9 Spot facing or back facing of flanges	4
10 Tolerances	4
11 Marking	4
<hr/>	
Appendix A Information to be supplied by the purchaser	40
Appendix B Application and installation	40
Appendix C Determination of bolt lengths for lapped-type joints	41
Appendix D Recommended bolt lengths for flanges other than lapped-type	41
Appendix E Recommendations for weld ends of weld-neck flanges	43
Appendix F Dimensions of seamless and welded steel pipes	44
Appendix G Use of metric bolting in lieu of inch bolting	45
Appendix H Comparison of flange descriptions in BS 1560-2:1970 with descriptions used in this Section of BS 1560	46
<hr/>	
Figure 1 — Flange codes	5
Figure 2 — Facings of types A to F and J	6
Figure 3 — Reducing threaded flanges, Classes 150 to 2500	9
Figure 4 — Flange facings, Classes 150 and 300 only, for other than lapped-type joints	11
Figure 5 — Flange facings, Classes 600 to 2500, for other than lapped-type joints	12
Figure 6 — Facings for lapped-type joints	13
Figure 7 — Dimensions of ring-joint facings (all Classes)	15
Figure 8 — Dimensions of Class 150 flanges	20
Figure 9 — Dimensions of Class 300 flanges	22
Figure 10 — Dimensions of Class 600 flanges	24
Figure 11 — Dimensions of Class 900 flanges	26
Figure 12 — Dimensions of Class 1500 flanges	28
Figure 13 — Dimensions of Class 2500 flanges	30
Figure 14 — Minimum fillet radius at the hub after back facing	39
Figure 15 — Bolting for flanges, Class 150 to Class 2500	41
Figure 16 — Recommended bevel angles for welding	43
<hr/>	
Table 1 — Types of steel flange	1
Table 2 — Synoptic table	7
Table 3 — Materials	8
Table 4 — Reducing threaded flanges Classes 150 to 2500	10
Table 5 — Facing dimensions for flanges other than ring-joint, classes 150 to 2500	14
Table 6 — Dimensions of ring-joint facings (all Classes)	16
Table 7 — Surface finish for facings A, B, E and F	19