
Connections for general use and fluid power — Ports and stud ends with ISO 228-1 threads with elastomeric or metal-to-metal sealing —

Part 2:

Heavy-duty (S series) and light-duty (L series) stud ends with elastomeric sealing (type E)

Raccordements pour applications générales et transmissions hydrauliques et pneumatiques — Orifices et éléments mâles à filetage ISO 228-1 à joint en élastomère ou étanchéité métal sur métal —

Partie 2: Éléments mâles de séries légère (série L) et lourde (série S) avec joint en élastomère (type E)





COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Interchangeability warning	2
5 Dimensions	2
6 Elastomeric seals	3
7 Requirements	5
7.1 Working pressure.....	5
7.2 Performance.....	5
8 Designation of stud ends and elastomeric seals	6
8.1 Stud ends.....	6
8.2 Elastomeric seals.....	6
9 Identification statement (reference to this document)	7
Bibliography	8