

INTERNATIONAL  
STANDARD

ISO/IEC  
8484

Second edition  
2014-08-15

---

---

---

## Information technology — Magnetic stripes on savingsbooks

*Technologies de l'information — Zone magnétique des livrets  
d'épargne*



Reference number  
ISO/IEC 8484:2014(E)

© ISO/IEC 2014



## **COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

	Page
<b>Foreword</b>	<b>iv</b>
<b>1 Scope</b>	<b>1</b>
<b>2 Conformance</b>	<b>1</b>
<b>3 Normative references</b>	<b>1</b>
<b>4 Terms and definitions</b>	<b>2</b>
<b>5 Physical characteristics of the savingsbook cover</b>	<b>3</b>
5.1 Magnetic stripe area warpage	4
5.2 Surface distortions	4
5.3 Stiffness	4
5.4 Materials	5
<b>6 Physical characteristics of the magnetic stripe</b>	<b>5</b>
6.1 Location	5
6.2 Surface profile of the magnetic stripe area	6
6.3 Height of the magnetic stripe area	6
6.4 Surface roughness	6
6.5 Adhesion of stripe to savingsbook	6
6.6 Resistance to environment	6
<b>7 Performance characteristics for the magnetic material</b>	<b>6</b>
7.1 General	6
7.2 Testing and operating environment	7
7.3 Signal amplitude requirements for magnetic media	7
<b>8 Encoding technique</b>	<b>8</b>
<b>9 Encoding specification</b>	<b>9</b>
9.1 Angle of recording	9
9.2 Nominal bit density	10
9.3 Signal amplitude requirements for track	10
9.4 Bit configuration	10
9.5 Direction of recording	10
9.6 Leading and trailing zeroes	10
9.7 Average bit density	11
9.8 Flux transition spacing variation	11
9.9 Coded character set	12
9.10 Maximum number of characters	12
9.11 Re-recording	12
<b>10 Error detection</b>	<b>13</b>
10.1 Parity	13
10.2 Longitudinal redundancy check (LRC)	13
<b>11 Location of encoded track</b>	<b>13</b>
<b>Annex A (normative) Optional high coercivity magnetic stripe</b>	<b>15</b>
<b>Bibliography</b>	<b>16</b>