

INTERNATIONAL
STANDARD

ISO/IEC
8886

Second edition
1996-09-15

**Information technology — Open Systems
Interconnection — Data link service
definition**

*Technologies de l'information — Interconnexion de systèmes ouverts
(OSI) — Définition du service de liaison de données*

This material is reproduced from ISO documents under International Organization for Standardization (ISO) Copyright License number IHS/ICC/1996. Not for resale. No part of these ISO documents may be reproduced in any form, electronic retrieval system or otherwise, except as allowed in the copyright law of the country of use, or with the prior written consent of ISO (Case postale 56, 1211 Geneva 20, Switzerland, Fax +41 22 734 10 79), IHS or the ISO Licensor's members.



Reference number
ISO/IEC 8886:1996(E)

Contents

	<i>Page</i>
1 Scope	1
2 Normative references	1
2.1 Identical Recommendations International Standards	1
3 Definitions.....	1
3.1 OSI Reference Model definitions	1
3.2 Service Conventions definitions	2
3.3 Data Link Service definitions	2
4 Abbreviations	2
5 Conventions.....	2
5.1 General conventions.....	2
5.2 Parameters.....	3
6 Overview of the Data Link Service.....	3
7 Classes and types of Data Link Service	3
8 Features of the connection-mode Data Link Service	4
9 Model of the connection-mode Data Link Service	4
9.1 DLC Endpoint Connection Identification	4
9.2 Model of a Data-link-connection	4
10 Quality of connection-mode Data Link Service.....	7
10.1 Determination of QOS for Connection-mode Service	7
10.2 Definition of connection-mode QOS parameters.....	8
11 Sequence of primitives	10
11.1 Concepts used to define the connection-mode Data Link Service.....	10
11.2 Constraints of Sequence of Primitives	10
12 Connection establishment phase	12
12.1 Function	12
12.2 Types of primitives and parameters	13
12.3 Sequence of primitives.....	14

13	Connection release phase	14
13.1	Function	14
13.2	Types of primitive and parameters.....	15
13.3	Sequence of primitives when releasing an established DLC	16
13.4	Sequence of primitives in a DLS user rejection of DLC establishment attempt.....	17
13.5	Sequence of primitives in a DLS provider rejection of a DLC establishment attempt.....	17
13.6	Sequence of primitives in a DLS user abort of a DLC establishment attempt.....	17
14	Data transfer phase.....	18
14.1	Data transfer.....	18
14.2	Reset service	19
15	Features of the Connectionless-mode Data Link Service.....	21
16	Model of the Connectionless-mode Data Link Service.....	21
16.1	Model of a data-link-connectionless-mode data transmission	22
17	Quality of Connectionless-mode Service	22
17.1	Determination of QOS for Connectionless-mode Service	23
17.2	Definition of connectionless-mode QOS parameters.....	23
18	Sequence of connectionless-mode primitives at one DLSAP	24
19	Data transfer	25
19.1	Function	25
19.2	Types of primitives and parameters	25
19.3	Sequence of primitives.....	26