
**Pneumatic fluid power —
Determination of flow-rate
characteristics of components using
compressible fluids —**

**Part 2:
Alternative test methods**

*Transmissions pneumatiques — Détermination des caractéristiques
de débit des composants traversés par un fluide compressible —*

Partie 2: Méthodes d'essai alternatives





COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	2
3 Terms and definitions	2
4 Symbols and units	2
5 Test installation	3
5.1 Test circuit for discharge test	3
5.2 Test circuit for charge test	3
5.3 General requirements	4
5.4 Requirements for the tank (item 4)	5
5.4.1 Structure	5
5.4.2 Stuffed material	6
5.4.3 Volume	6
5.5 Special requirements	7
6 Test procedures	7
6.1 Test conditions	7
6.1.1 Test fluid	7
6.1.2 Checks	7
6.1.3 Test measurements	8
6.2 Measuring procedures	8
6.2.1 Requirements for testing to publish catalogue ratings	8
6.2.2 Selection of measuring procedure	8
6.2.3 Measuring procedures for discharge test	8
6.2.4 Measuring procedures for charge test (see Figure 2)	9
6.3 Calculation of characteristics	10
6.3.1 Sonic conductance, C	10
6.3.2 Critical back-pressure ratio, b , and subsonic index, m	13
6.3.3 Pressure dependence coefficient, K_p	13
7 Presentation of test results	14
8 Identification statement (reference to this document)	15
Annex A (informative) Evaluation of measurement uncertainty	16
Annex B (normative) Test method to determine and calibrate the volume of an isothermal tank	22
Annex C (informative) Isothermal tank stuffing	28
Annex D (informative) Test method to determine isothermal performance	30
Annex E (informative) Formulae for calculation of flow-rate characteristics	33
Annex F (informative) Procedures for calculating critical back-pressure ratio, b, and subsonic index, m, by the least-square method using the Solver function in Microsoft Excel®	36
Bibliography	40