

Second edition
2018-05

Fire detection and alarm systems —

Part 27:

**Point type fire detectors using a
smoke sensor in combination with
a carbon monoxide sensor and,
optionally, one or more heat sensors**

Systèmes de détection et d'alarme d'incendie —

*Partie 27: DéTECTEURS ponctuels d'incendie utilisant un capteur de
fumée en combinaison avec un capteur de monoxyde de carbone (CO)
et, optionnellement, un ou plusieurs capteurs de chaleur*



Reference number
ISO 7240-27:2018(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	vii
Introduction	viii
1 Scope	1
2 Normative references	1
3 Terms, definitions and symbols	2
4 General requirements	2
4.1 Compliance	2
4.2 Response threshold value of detectors using scattered or transmitted light	2
4.3 Individual alarm indication	2
4.4 Connection of ancillary devices	3
4.5 Monitoring of detachable detectors	3
4.6 Manufacturer's adjustments	3
4.7 On-site adjustment of response behaviour	3
4.8 Protection against the ingress of foreign bodies	3
4.9 Rate-sensitive CO response behaviour	3
4.10 Smoke response to slowly developing fires	4
4.11 Requirements for software controlled detectors	4
4.11.1 General	4
4.11.2 Software design	4
4.11.3 Storage of programs and data	4
5 Tests	5
5.1 General	5
5.1.1 Atmospheric conditions for tests	5
5.1.2 Operating conditions for tests	5
5.1.3 Mounting arrangements	5
5.1.4 Tolerances	5
5.1.5 Measurement of smoke response threshold value	5
5.1.6 Measurement of CO response threshold value	6
5.1.7 Measurement of heat sensor response value	6
5.1.8 Provision for tests	7
5.1.9 Test schedule	8
5.1.10 Test report	8
5.2 Repeatability of smoke response	8
5.2.1 Object of the test	8
5.2.2 Test procedure	8
5.2.3 Requirements	8
5.3 Repeatability of CO response	8
5.3.1 Object of the test	8
5.3.2 Test procedure	8
5.3.3 Requirements	10
5.4 Directional dependence of smoke response	10
5.4.1 Object of the test	10
5.4.2 Test procedure	10
5.4.3 Requirements	10
5.5 Directional dependence of CO response	10
5.5.1 Object of the test	10
5.5.2 Test procedure	10
5.5.3 Requirements	10
5.6 Directional dependence of heat response (optional function)	11
5.6.1 Object of the test	11
5.6.2 Test procedure	11
5.6.3 Requirements	11