
**Anodizing of aluminium and its
alloys — Measurement of specular
reflectance and specular gloss of
anodic oxidation coatings at angles of
20°, 45°, 60° or 85°**

*Anodisation de l'aluminium et de ses alliages — Mesurage des
caractéristiques de réflectivité et de brillant spéculaires des couches
anodiques à angle fixe de 20°, 45°, 60° ou 85°*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	2
5 Apparatus	2
6 Geometric conditions	2
7 Optical standards	6
7.1 Reference standards.....	6
7.1.1 Black glass.....	6
7.1.2 Glass prism (for Method E only).....	6
7.2 Working standards.....	7
7.2.1 Description.....	7
7.2.2 Zero point check.....	7
8 Preparation and calibration of apparatus	7
9 Measurement of specular reflectance and specular gloss	8
9.1 General.....	8
9.2 Measurement of specular reflectance.....	8
9.3 Measurement of specular gloss.....	8
10 Expression of results	11
10.1 General.....	11
10.2 Specular reflectance.....	11
10.3 Specular gloss.....	11
11 Test report	11
Annex A (normative) Specular reflectance and specular gloss	12