

INTERNATIONAL STANDARD

ISO
8571-3

First edition
1988-10-01

AMENDMENT 2
1993-08-15

Information processing systems – Open Systems Interconnection – File Transfer, Access and Management –

Part 3 : File Service Definition

AMENDMENT 2 : Overlapped access

*Systèmes de traitement de l'information – Interconnexion de systèmes
ouverts – Transfert, accès et gestion de fichiers –*

Partie 3: Définition du service de fichiers

AMENDEMENT 2 : Chevauchement d'accès



Reference number
ISO 8571-3:1988/Amd.2:1993 (E)

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Amendment 2 to International Standard ISO 8571-3:1988 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*.

ISO 8571 consists of the following parts, under the general title *Information processing systems – Open Systems Interconnection – File Transfer, Access and Management*:

- *Part 1 : General introduction*
- *Part 2 : Virtual Filestore Definition*
- *Part 3 : File Service Definition*
- *Part 4 : File Protocol Specification*
- *Part 5 : Protocol Implementation Conformance Statement Proforma*

© ISO/IEC 1993

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

Information processing systems – Open Systems Interconnection – File Transfer, Access and Management –

Part 3 :

File Service Definition

AMENDMENT 2 : Overlapped access

0 Introduction

Clause 0 provides an introduction to this amendment. The text in this clause is not intended for inclusion in ISO 8571 part 3.

0.1 General

ISO 8571 part 3 defines in an abstract way the externally visible file transfer, access and management service.

This amendment extends this service definition to incorporate the services offered by overlapped access.

0.2 Rationale

The objective in introducing overlapped access is to allow more efficient access to structured files when a single initiator has a need to perform many reading and updating operations; the serial nature of the current FTAM data transfer services introduces a significant control overhead if the FADUs are small. In this context, an FADU is small if its transmission time is comparable with the time to complete a confirmed service on the association (the association's round trip delay).

0.3 Summary

The current design envelope that there should be at most one file selection per association and one file open per file selection is maintained. If access to more than one file is to

be overlapped, more than one association is necessary. The overlapped access takes place within a constant set of presentation contexts established as at present when the file is opened, or previously.

Two different degrees of overlap have been identified. Firstly, requests for future accesses may be issued whilst a previously requested BDT action is in progress, allowing the creation of a queue of read and write requests. In general, PCI relating to a given BDT action may be overlapped with other BDT actions, subject to restrictions; this is called consecutive access. Secondly, read and write actions can be performed in parallel, so that both directions of data transfer are exploited at any one time. Requests are then taken from the queue whenever either direction of transfer becomes free; this is called concurrent access.

The transfer of a single FADU, specified in a single F-READ request has the same interpretation as in ISO 8571. The resultant effect on the virtual filestore of a set of overlapped requests using consecutive access shall be the same as that of the equivalent set of requests issued in series; the service provided is serializable. If concurrent access is used then the resultant effect of a set of write actions on the virtual filestore, is also serializable. However, due to the non-determinism introduced by the use of concurrent access, it is also possible that, in some uses of the service, the data transferred as a result of a read action is not consistent with the current state of the file.

1 Scope and field of application

This amendment makes no additions to clause 1.