
**Indexable inserts for cutting tools —
Ceramic inserts with rounded
corners —**

**Part 1:
Dimensions of inserts without fixing
hole**

*Plaquettes amovibles pour outils coupants — Plaquettes en
céramique avec arrondi de pointe —*

Partie 1: Dimensions des plaquettes sans trou de fixation





COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Types of inserts	1
4 Tolerances	2
5 Cutting edge	2
5.1 Cutting edge condition	2
5.2 Additional information	2
6 Designation and marking	3
6.1 Designation	3
6.2 Marking	3
7 Measurement	3
8 Recommended dimensions	3
8.1 Triangular inserts	4
8.2 Square inserts	5
8.3 Rhombic inserts with 80° included angle	7
8.4 Rhombic inserts with 55° included angle	8
8.5 Round inserts	9
Annex A (normative) Method of measurement of “m” dimension	10
Annex B (normative) Range of sizes of inserts with rounded corners, without fixing hole, having shapes covered by this part of ISO 9361	12
Annex C (informative) Relationship between designations in ISO 9361-1 and ISO 13399-series	13
Bibliography	15