

INTERNATIONAL
STANDARD

ISO
7539-6

Fourth edition
2018-08

Corrected version
2018-11

**Corrosion of metals and alloys —
Stress corrosion testing —**

**Part 6:
Preparation and use of precracked
specimens for tests under constant
load or constant displacement**

*Corrosion des métaux et alliages — Essais de corrosion sous
contrainte —*

*Partie 6: Préparation et utilisation des éprouvettes préfissurées pour
essais sous charge constante ou sous déplacement constant*



Reference number
ISO 7539-6:2018(E)

© ISO 2018



COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	4
5 Specimens	5
5.1 General	5
5.2 Specimen design	7
5.3 Stress intensity factor considerations	17
5.4 Specimen preparation	23
5.5 Specimen identification	25
6 Initiation and propagation of fatigue cracks	25
7 Procedure	27
7.1 General	27
7.2 Environmental considerations	27
7.3 Environmental chamber	28
7.4 Environmental control and monitoring	29
7.5 Determination of K_{ISCC} by crack arrest	29
7.6 Determination of K_{ISCC} by crack initiation	32
7.7 Measurement of crack velocity	34
8 Test report	35
Annex A (informative) Use of notched specimens for stress corrosion tests	36
Annex B (informative) Determination of crack growth velocity	39
Bibliography	40