


INTERNATIONAL
STANDARD

ISO/IEC
11321

First edition
1992-12-15

**Information technology — 3,81 mm wide
magnetic tape cartridge for information
interchange — Helical scan recording —
DATA/DAT format**

*Technologies de l'information — Cartouche de bande magnétique de
3,81 mm de large pour l'échange d'information — Enregistrement
hélicoïdal — Format DATA/DAT*



Reference number
ISO/IEC 11321:1992(E)

Contents

Section 1 : General

- 1** **Scope**
- 2** **Conformance**
- 2.1** Magnetic tape cartridge
- 2.2** Generating system
- 2.3** Receiving system
- 3** **Normative references**
- 4** **Definitions**
- 4.1** Absolute Frame Number (AFN)
- 4.2** AC erase
- 4.3** Area ID
- 4.4** Automatic Track Finding (ATF)
- 4.5** Average Signal Amplitude
- 4.6** azimuth
- 4.7** back surface
- 4.8** byte
- 4.9** cartridge
- 4.10** Channel bit
- 4.11** Data Format ID
- 4.12** End of Data (EOD)
- 4.13** End of Information (EOI)
- 4.14** End of Partition (EOP)
- 4.15** Error Correcting Code (ECC)
- 4.16** flux transition position

4.17	flux transition spacing	2
4.18	frame	2
4.19	group	2
4.20	Logical Beginning of Tape (LBOT)	2
4.21	Logical End of Tape (LEOT)	2
4.22	magnetic tape	2
4.23	Master reference	2
4.24	Master Standard Amplitude Calibration Tape	2
4.25	Master Standard Reference Tape	2
4.26	optimum recording field	2
4.27	partition	2
4.28	partition reference	3
4.29	Physical Beginning of Tape (PBOT)	3
4.30	Physical End of Tape (PEOT)	3
4.31	physical recording density	3
4.32	pre-recording condition (maximum recorded levels)	3
4.33	record	3
4.34	Reference Recording Field	3
4.35	Secondary Standard Amplitude Calibration Tape	3
4.36	Secondary Standard Reference Tape	3
4.37	separator	3
4.38	Standard Reference Amplitude	3
4.39	tape noise amplitude	3
4.40	Tape Reference Edge	3
4.41	track	3
5	Environment and safety	3
5.1	Testing environment	3
5.2	Operating environment	3
5.3	Storage environment	4
5.4	Transportation	4
5.5	Safety	4
5.6	Flammability	4
 Section 2 : Requirements for the case		
6	Dimensional and mechanical characteristics of the case	4
6.1	General	4
6.2	Overall dimensions (figures 6 and 7)	5
6.3	Loading grip (figure 6)	5
6.4	Holding areas (figure 6)	5
6.5	Notches of the lid (figures 5 and 8)	6
6.6	Lid dimensions (figures 6 to 8)	6
6.7	Optical detection of the beginning and end of tape (figure 9 and 12)	7
6.8	Bottom side (figures 10 and 11)	7
6.8.1	Locking mechanism of the slider	7
6.8.2	Access holes	8
6.8.3	Recognition, sub-datum and write-inhibit holes	8
6.8.4	Datum holes	10