
**Information technology — Open Systems
Interconnection — Distributed Transaction
Processing —**

**Part 2:
OSI TP Service**

*Technologies de l'information — Interconnexion de systèmes ouverts
(OSI) — Traitement transactionnel réparti —*

Partie 2: Service OSI TP

Contents	Page
Foreword.....	v
Introduction.....	vi
1 Scope.....	1
2 Normative references	1
3 Definitions	1
4 Abbreviations	4
5 Conventions.....	4
5.1 Service conventions.....	4
5.2 Usage of the term transaction.....	5
5.3 Usage of italics for notations.....	5
6 Overview of the OSI TP Service	6
7 Service facilities.....	6
7.1 Functional unit descriptions	6
7.2 Services contained in functional units.....	9
7.3 Service for modelling data transfer.....	10
7.4 Structure of service descriptions.....	10
7.5 Effects of dialogue termination	11
8 Service primitives and their parameters	12
9 Data transfer.....	14
9.1 Overview of data transfer.....	14
9.2 Data transfer service, TP-DATA	14
10 The Dialogue functional unit	16
10.1 Overview of the Dialogue functional unit.....	16
10.2 Dialogue Establishment service, TP-BEGIN-DIALOGUE.....	16
10.3 Dialogue Termination service, TP-END-DIALOGUE.....	21
10.4 User Error Reporting service, TP-U-ERROR	23
10.5 User Abort service, TP-U-ABORT	25
10.6 Provider Abort service, TP-P-ABORT.....	28
11 The Shared Control functional unit	30
11.1 Overview of the Shared Control functional unit.....	30
12 The Polarized Control functional unit.....	30
12.1 Overview of the Polarized Control functional unit	30
12.2 Grant Control service, TP-GRANT-CONTROL	30
12.3 Request Control service, TP-REQUEST-CONTROL	31

© ISO/IEC 1998

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

13 The Handshake functional unit	33
13.1 Overview of the Handshake functional unit	33
13.2 Handshake service, TP-HANDSHAKE	33
13.3 Handshake and Grant Control service, TP-HANDSHAKE-AND-GRANT-CONTROL	35
14 The commitment-related functional units	36
14.1 Introduction	36
14.2 Summary	37
14.3 Overview of the Chained Transactions functional unit	43
14.4 Overview of the Unchained Transactions functional unit	43
14.5 Begin Transaction service, TP-BEGIN-TRANSACTION	43
14.6 Deferred End Dialogue service, TP-DEFERRED-END-DIALOGUE	45
14.7 Deferred Grant Control service, TP-DEFERRED-GRANT-CONTROL	47
14.8 TP-PREPARE request	48
14.9 TP-PREPARE indication	49
14.10 TP-READY indication	50
14.11 TP-COMMIT request	51
14.12 TP-COMMIT indication	53
14.13 TP-DONE request	54
14.14 TP-COMMIT-COMPLETE indication	56
14.15 TP-ROLLBACK request	56
14.16 TP-ROLLBACK indication	57
14.17 TP-ROLLBACK-COMPLETE indication	58
14.18 Heuristic Reporting service, TP-HEURISTIC-REPORT indication	59
14.19 TP-READ-ONLY request	60
14.20 TP-READ-ONLY indication	62
14.21 TP-EARLY-EXIT request	63
14.22 TP-EARLY-EXIT indication	64
14.23 TP-ONE-PHASE request	65
14.24 TP-ONE-PHASE indication	67
14.25 TP-UNKNOWN indication	68
14.26 TP-UNKNOWN-COMPLETE indication	68
14.27 TP-COMPLETION-REPORT indication	69

Annexes

A Service state table	71
A.1 Overview	71
A.2 Dialogue States	71
A.3 Variables	73
A.4 Actions	78
A.5 Node Crash	85
A.6 Keys	85
A.7 Blank Intersections	86
A.8 Node Contingency Table	86
A.9 Service State Table	87
B Summary of changes to the third edition	136

Tables

Table 1 - Functional units and their services	9
Table 2 - Service for modelling data transfer	10
Table 3 - OSI TP service primitives	13
Table 4 - TP-DATA primitives and parameters	14
Table 5 - TP-BEGIN-DIALOGUE primitives and their parameters	16
Table 6 - TP-END-DIALOGUE primitives and their parameter	21
Table 7 - TP-U-ERROR primitives	23
Table 8 - TP-U-ABORT primitives and their parameters	25
Table 9 - TP-P-ABORT indication and its parameters	28
Table 10 - TP-GRANT-CONTROL primitives	30
Table 11 - TP-REQUEST-CONTROL primitives	31