

INTERNATIONAL
STANDARD

ISO/IEC
13962

First edition
1995-09-15

**Information technology — Data
interchange on 12,7 mm, 112-track
magnetic tape cartridges — DLT 2 format**

*Technologies de l'information — Échange de données sur cartouches de
bande magnétique de 12,7 mm, 112 pistes — Format DLT 2*



Reference number
ISO/IEC 13962:1995(E)

Contents

	Page
1 Scope	1
2 Conformance	1
2.1 Magnetic tape cartridges	1
2.2 Generating systems	1
2.3 Receiving systems	1
3 Normative references	1
4 Definitions	1
4.1 Average Signal Amplitude	1
4.2 azimuth	1
4.3 back surface	1
4.4 Beginning-Of-Tape marker (BOT)	1
4.5 byte	1
4.6 cartridge	2
4.7 Cyclic Redundancy Check (CRC) character	2
4.8 Early Warning (EW)	2
4.9 Error-Detecting Code (EDC)	2
4.10 End-Of-Tape marker (EOT)	2
4.11 Entity	2
4.12 Error-Correcting Code (ECC)	2
4.13 flux transition position	2
4.14 flux transition spacing	2
4.15 Logical Block	2
4.16 logical track	2
4.17 magnetic tape	2
4.18 Master Standard Reference Tape	2
4.19 object	2
4.20 physical block	2
4.21 physical recording density	2
4.22 physical track	2
4.23 Record	2
4.24 Reference Edge	2
4.25 Reference Field	2
4.26 Secondary Standard Reference Tape	2

© ISO/IEC 1995

All rights reserved. Unless otherwise specified no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher

ISO/IEC Copyright Office · Case Postale 56 · CH-1211 Genève 20 · Switzerland

Printed in Switzerland

4.27 Standard Reference Amplitude (SRA)	2
4.28 Standard Reference Current	2
4.29 Test Recording Current	3
4.30 Typical Field	3
5 Conventions and notations	3
5.1 Representation of numbers	3
5.2 Names	3
5.3 Acronyms	3
6 Environment and safety	3
6.1 Cartridge and tape testing environment	3
6.2 Cartridge operating environment	4
6.3 Cartridge storage environment	4
6.4 Safety	4
6.4.1 Safeness	4
6.4.2 Flammability	4
6.5 Transportation	4
Section 2 - Requirements for the unrecorded tape	5
7 Mechanical and electrical requirements	5
7.1 Material	5
7.2 Tape length	5
7.3 Width	5
7.4 Total thickness	5
7.5 Thickness of the base material	5
7.6 Thickness of the magnetic coating	5
7.7 Thickness of the back coating	5
7.8 Discontinuity	5
7.9 Longitudinal curvature	5
7.9.1 Requirement	5
7.9.2 Procedure	5
7.10 Out-of-Plane distortions	5
7.11 Cupping	5
7.12 Roughness of the coating surfaces	6
7.12.1 Roughness of the back coating surface	6
7.12.2 Roughness of the magnetic coating surface	6
7.13 Coating adhesion	6
7.14 Layer-to-layer adhesion	7
7.14.1 Requirements	7
7.14.2 Procedure	7
7.15 Modulus of elasticity	8
7.15.1 Requirement	8
7.15.2 Procedure	8
7.16 Flexural rigidity	8