

INTERNATIONAL
STANDARD

ISO/IEC
14443-3

Fourth edition
2018-07

**Cards and security devices for
personal identification — Contactless
proximity objects —**

**Part 3:
Initialization and anticollision**

*Cartes et dispositifs de sécurité pour l'identification personnelle —
Objets sans contact de proximité —*

Partie 3: Initialisation et anticollision



Reference number
ISO/IEC 14443-3:2018(E)

© ISO/IEC 2018



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Symbols, abbreviated terms and notations	3
4.1 Symbols and abbreviated terms	3
4.2 Notations	5
5 General requirements	5
5.1 Alternating PICC and PCD support (PXD)	5
5.2 Alternating between Type A and Type B commands	5
5.2.1 Polling	5
5.2.2 Influence of Type A commands on PICC Type B operation	6
5.2.3 Influence of Type B commands on PICC Type A operation	6
5.2.4 Transition to POWER-OFF state	7
5.3 RFU handling	7
6 Type A — Initialization and anticollision	7
6.1 etu	7
6.2 Frame format and timing	7
6.2.1 Frame delay time	8
6.2.2 Request Guard Time	9
6.2.3 Frame formats	10
6.2.4 CRC_A	12
6.3 PICC states	12
6.3.1 POWER-OFF state	13
6.3.2 IDLE state	14
6.3.3 READY state	14
6.3.4 ACTIVE state	14
6.3.5 HALT state	14
6.3.6 READY* state	14
6.3.7 ACTIVE* state	15
6.3.8 PROTOCOL state	15
6.4 Command set	15
6.4.1 REQA and WUPA commands	15
6.4.2 ANTICOLLISION and SELECT commands	16
6.4.3 HLTA command	16
6.5 Select sequence	17
6.5.1 Select sequence flowchart	17
6.5.2 ATQA — Answer to Request	17
6.5.3 Anticollision and Select	18
6.5.4 UID contents and cascade levels	21
7 Type B — Initialization and anticollision	23
7.1 Character, frame format and timing	23
7.1.1 Character transmission format	23
7.1.2 Character separation	23
7.1.3 Frame format	24
7.1.4 SOF	24
7.1.5 EOF	25
7.1.6 Timing before the PICC SOF	26
7.1.7 Timing before the PCD SOF	26
7.2 CRC_B	27
7.3 Anticollision sequence	27