

INTERNATIONAL STANDARD

ISO/IEC
14760

First edition
1997-12-15

Information technology — Data interchange on 90 mm overwritable and read only optical disk cartridges using phase change — Capacity: 1,3 Gbytes per cartridge

*Technologies de l'information — Échange de données sur cartouches de
disque optique de recouvrement et de lecture seule, de 90 mm de
diamètre, utilisant un changement de phase — Capacité: 1,3 Gbytes par
cartouche*



Reference number
ISO/IEC 14760:1997(E)

Contents	Page
Section 1 - General	1
1 Scope	1
2 Conformance	1
2.1 Optical disk cartridge (ODC)	1
2.2 Generating system	1
2.3 Receiving system	2
2.4 Compatibility statement	2
3 Normative reference	2
4 Definitions	2
5 Conventions and notations	3
5.1 Representation of numbers	3
5.2 Names	4
6 List of acronyms	4
7 General description of the optical disk cartridge	4
8 General requirements	5
8.1 Environments	5
8.1.1 Test environment	5
8.1.2 Operating environment	5
8.1.3 Storage environment	5
8.1.4 Transportation	5
8.2 Temperature shock	5
8.3 Safety requirements	6
8.4 Flammability	6
9 Reference Drive	6
9.1 Optical system	6
9.2 Optical beam	7
9.3 Read Channel	8
9.4 Focusing and tracking	8
9.5 Rotation of the disk	8

Section 2 - Mechanical and physical characteristics	8
10 Dimensional and physical characteristics of the case	8
10.1 General description of the case	8
10.2 Reference planes of the case	8
10.3 Dimensions of the case	8
10.3.1 Overall dimensions	8
10.3.2 Location hole	9
10.3.3 Alignment hole	9
10.3.4 Reference surfaces	10
10.3.5 Detents	10
10.3.6 Functional Areas	11
10.3.7 Media sensor holes	11
10.3.8 Spindle and head windows	12
10.3.9 Insertion slots	13
10.3.10 Shutter	13
10.3.11 Gripper slots	14
10.3.12 Label area	14
10.4 Mechanical characteristics	15
10.4.1 Material	15
10.4.2 Mass	15
10.4.3 Edge distortion	15
10.4.4 Compliance	15
10.4.5 Shutter opening force	15
11 Dimensional, mechanical and physical characteristics of the disk	15
11.1 General description of the disk	15
11.2 Reference axis and plane of the disk	15
11.3 Dimensions of the disk	15
11.3.1 Hub dimensions	16
11.3.2 Clamping zone	16
11.4 Mechanical characteristics	16
11.4.1 Material	17
11.4.2 Mass	17
11.4.3 Moment of inertia	17
11.4.4 Imbalance	17
11.4.5 Axial deflection	17
11.4.6 Axial acceleration	17
11.4.7 Radial runout	17
11.4.8 Radial acceleration	17
11.4.9 Tilt	18
11.5 Optical characteristics	18
11.5.1 Index of refraction	18
11.5.2 Thickness of the substrate	18
11.5.3 Birefringence	18
11.5.4 Reflectance	18
12 Interface between cartridge and drive	18
12.1 Clamping method	18
12.2 Clamping force	19
12.3 Capture cylinder	19
12.4 Disk position in operating condition	19