

INTERNATIONAL  
STANDARD

**ISO/IEC**  
**14840**

First edition  
1996-08-01

---

---

**Information technology — 12,65 mm wide  
magnetic tape cartridge for information  
interchange — Helical scan recording —  
Data-D3-1 format**

*Technologies de l'information — Cartouche de bande magnétique de  
12,65 mm de large pour l'échange d'information — Enregistrement par  
balayage en spirale — Format de données-D3-1*



Reference number  
ISO/IEC 14840:1996(E)

<b>Contents</b>	<b>Page</b>
<b>Section 1 - General</b>	<b>1</b>
<b>1 Scope</b>	<b>1</b>
<b>2 Conformance</b>	<b>1</b>
2.1 Magnetic tape cartridge	1
2.2 Generating system	1
2.3 Receiving system	1
<b>3 Normative References</b>	<b>1</b>
<b>4 Definitions</b>	<b>2</b>
4.1 a.c. erase	2
4.2 algorithm	2
4.3 Average Signal Amplitude	2
4.4 azimuth	2
4.5 back surface	2
4.6 Beginning of Tape (BOT)	2
4.7 Beginning of Tape Sense Slot	2
4.8 byte	2
4.9 cartridge	2
4.10 character	2
4.11 Codeword Digital Sum (CDS)	2
4.12 Cyclic Redundancy Check (CRC) Character	2
4.13 Data Area Reference Point	2
4.14 Data Records	2
4.14.1 Logical Data Record (LDR)	2
4.14.2 Processed Data Record (PDR)	2
4.14.3 User Data Record (UDR)	2
4.15 Digital Sum Variation (DSV)	2
4.16 End of Tape (EOT)	3
4.17 End of Tape Sense Slot	3
4.18 Error Correcting Code (ECC)	3
4.19 File safe	3
4.20 Fixed Scan Group Header	3

© ISO/IEC 1996

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office \* Case Postale 56 \* CH-1211 Genève 20 \* Switzerland  
 Printed in Switzerland

4.21 flux transition position	3
4.22 flux transition spacing	3
4.23 Helical Time Code (HTC)	3
4.24 Internal Leader Header (ILH)	3
4.25 Logical Block Number	3
4.26 magnetic tape	3
4.27 Master Standard Reference Tape	3
4.28 Packet	3
4.29 Packet Identifier	3
4.30 Packet Trailer	3
4.31 physical recording density	3
4.32 Postamble	3
4.33 Preamble	3
4.34 processed data	3
4.35 Reference Fields	3
4.36 resolution	3
4.37 Scan Group	3
4.38 Scan Group Pair	3
4.39 Scan Group Start Data (SGSD)	3
4.40 Secondary Standard Reference Tape	3
4.41 Standard Reference Amplitudes (SRA)	3
4.42 Standard Reference Currents (Ir)	4
4.43 Tape Reference Edge	4
4.44 Test Recording Currents (TRC)	4
4.45 track	4
4.46 track angle	4
4.47 Typical Field (TF)	4
4.48 Variable Scan Group Header	4
4.49 zero crossing	4
<b>5 Conventions and Notations</b>	<b>4</b>
5.1 Representation of numbers	4
5.2 Names	5
<b>6 Acronyms</b>	<b>5</b>
<b>7 Environment and Safety</b>	<b>5</b>
7.1 Testing environment	5
7.2 Operating environment	5
7.3 Storage environment	5
7.4 Transportation	6
7.5 Safety	6
7.6 Flammability	6
<b>Section 2 - Requirements for the Cartridge</b>	<b>7</b>
<b>8 Dimensional and Mechanical Characteristics of the Cartridge</b>	<b>7</b>
8.1 Elements of the cartridge	7
8.2 Reference Planes of the case	7
8.3 Dimensions of the case	7
8.3.1 Overall dimensions	7
8.3.2 Locating areas	8
8.3.3 Reference points for Plane Y	8
8.3.4 Reference point for Plane Z	8
8.3.5 Locating notches	8