
Metallic powders — Determination of envelope-specific surface area from measurements of the permeability to air of a powder bed under steady-state flow conditions

Poudres métalliques — Détermination de la surface spécifique d'enveloppe à partir de mesures de la perméabilité à l'air d'un lit de poudre dans des conditions d'écoulement permanent





COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols	3
5 General principles	4
5.1 Permeability.....	4
5.2 Carman-Arnell and Kozeny-Carman formulae.....	4
5.3 General.....	5
5.4 Envelope density.....	5
6 Procedure	6
6.1 Preparation of test portion.....	6
6.2 Preparation of packed powder bed.....	6
6.3 Determination.....	6
7 Expression of results	6
8 Test report	7
Annex A (informative) Examples of methods of determining the permeability to air of a powder bed	8
Annex B (informative) Preliminary treatment of powder for de-agglomeration	17
Bibliography	18