
**Passenger car tyres — Verifying
tyre capabilities — Laboratory test
methods**

*Pneumatiques pour voitures particulières — Vérification de l'aptitude
des pneumatiques — Méthodes d'essai en laboratoire*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

| | |
|--|-----------|
| Foreword | iv |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms and definitions | 1 |
| 4 Test equipment and conditions | 3 |
| 5 Testing of tyres with diagonal or bias-belted structure and of T-type temporary-use spare tyres | 4 |
| 5.1 Endurance test | 4 |
| 5.1.1 Preparation of tyre | 4 |
| 5.1.2 Test procedure | 4 |
| 5.2 High-speed test | 5 |
| 5.2.1 General | 5 |
| 5.2.2 Preparation of tyre | 5 |
| 5.2.3 Test method | 5 |
| 5.3 Strength test | 6 |
| 5.4 Bead unseating test (of tubeless tyres) | 6 |
| 6 Requirements for tyres with diagonal or bias-belted structure and for T-type temporary-use spare tyres | 6 |
| 6.1 Test sample | 6 |
| 6.2 Endurance test | 7 |
| 6.3 High-speed test | 7 |
| 6.4 Strength test | 7 |
| 6.5 Bead unseating test (of tubeless tyres) | 8 |
| 7 Testing of radial tyres | 8 |
| 7.1 Endurance test and low-pressure performance test | 8 |
| 7.1.1 Preparation of tyre | 8 |
| 7.1.2 Test procedure for endurance test | 8 |
| 7.1.3 Preparation of tyre for low-pressure performance test | 9 |
| 7.2 High-speed test | 10 |
| 7.2.1 General | 10 |
| 7.2.2 Preparation of tyre | 10 |
| 7.2.3 Test method for tyres with speed symbols F, G, J, K, L, M, N, P, Q, R or S | 10 |
| 7.2.4 Test method for tyres with speed symbols T, U, H, V, W or Y | 11 |
| 7.2.5 Test method for tyres with the code letters ZR in the size designation and both the load index and the speed symbol Y placed within parentheses intended for use at speeds greater than 300 km/h | 12 |
| 8 Requirements for radial tyres | 12 |
| 8.1 Test sample | 12 |
| 8.2 Endurance test and low-pressure performance test | 12 |
| 8.3 High-speed test | 13 |
| Annex A (informative) High-speed test — Test conditions for tyres without service description marking | 14 |
| Bibliography | 16 |