

INTERNATIONAL STANDARD

ISO 10303-47

First edition
1997-12-15

Industrial automation systems and integration — Product data representation and exchange —

Part 47: Integrated generic resource: Shape variation tolerances

*Systèmes d'automatisation industrielle et intégration — Représentation et
échange de données de produits —*

Partie 47: Ressource générique intégrée: Tolérances de variation de forme

This material is reproduced from ISO documents under International Organization for Standardization (ISO) Copyright License number IHS/ICC/1996. Not for resale. No part of these ISO documents may be reproduced in any form, electronic retrieval system or otherwise, except as allowed in the copyright law of the country of use, or with the prior written consent of ISO (Case postale 56, 1211 Geneva 20, Switzerland, Fax +41 22 734 10 79), IHS or the ISO Licensor's members.



Reference number
ISO 10303-47:1997(E)

ISO 10303-47:1997(E)

Contents	Page
1 Scope	1
2 Normative references	2
3 Definitions	3
3.1 Terms defined in ISO 129	3
3.2 Terms defined in ISO 286-1	4
3.3 Terms defined in ISO 1101	4
3.4 Terms defined in ISO 2692	5
3.5 Terms defined in ISO 5459	5
3.6 Terms defined in ISO 10578	5
3.7 Terms defined in ISO 10303-1	5
3.8 Other definitions	6
3.8.1 boundary	6
3.8.2 form tolerance	6
3.8.3 profile tolerance	6
3.8.4 plus-minus tolerance	6
3.8.5 toleranced feature	6
4 Shape aspect definition	6
4.1 Introduction	7
4.2 Fundamental concepts and assumptions	7
4.3 shape_aspect_definition_schema type definition: limit_condition	8
4.4 shape_aspect_definition_schema entity definitions: datum	9
4.4.1 datum	9
4.4.2 datum_feature	10
4.4.3 datum_target	12
4.4.4 datum_reference	13
4.4.5 referenced_modified_datum	13
4.5 shape_aspect_definition_schema entity definitions: derived shapes	14
4.5.1 composite_shape_aspect	14
4.5.2 derived_shape_aspect	15

© ISO 1997

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
 Case postale 56 • CH-1211 Genève 20 • Switzerland
 Internet central@iso.ch
 X.400 c=ch; a=400net; p=iso; o=isocs; s=central

Printed in Switzerland

4.5.3 apex	16
4.5.4 centre_of_symmetry	17
4.5.5 geometric_alignment	18
4.5.6 geometric_intersection	19
4.5.7 parallel_offset	21
4.5.8 perpendicular_to	23
4.5.9 extension	24
4.5.10 tangent	24
4.5.11 shape_aspect_deriving_relationship	25
4.5.12 symmetric_shape_aspect	26
5 Shape dimension	28
5.1 Introduction	28
5.2 Fundamental concepts and assumptions	29
5.3 shape_dimension_schema type definitions	30
5.3.1 angle_relator	30
5.3.2 dimensional_characteristic	31
5.4 shape_dimension_schema entity definitions	32
5.4.1 angular_location	32
5.4.2 angular_size	33
5.4.3 dimensional_characteristic_representation	34
5.4.4 dimensional_location	34
5.4.5 dimensional_location_with_path	35
5.4.6 dimensional_size	36
5.4.7 dimensional_size_with_path	38
5.4.8 shape_dimension_representation	38
6 Shape tolerance	40
6.1 Introduction	41
6.2 Fundamental concepts and assumptions	41
6.3 shape_tolerance_schema type definitions	42
6.3.1 tolerance_method_definition	42
6.3.2 tolerance_select	42
6.4 shape_tolerance_schema entity definitions: geometric tolerance	43
6.4.1 dimension_related_tolerance_zone_element	43
6.4.2 geometric_tolerance	43
6.4.3 geometric_tolerance_relationship	44
6.4.4 geometric_tolerance_with_datum_reference	45
6.4.5 geometric_tolerance_with_defined_unit	46
6.4.6 modified_geometric_tolerance	46