
**Fasteners — Hexagon socket
countersunk head screws with
reduced loadability**

*Fixations — Vis à tête fraisée à six pans creux à capacité de charge
réduite*



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Dimensions and gauging of head	2
4.1 Dimensions	2
4.2 Gauging of head	6
5 Requirements and reference International Standards	7
6 Marking and labelling	8
6.1 Marking on product	8
6.2 Labelling on package	8
7 Designation	9
Annex A (informative) Minimum ultimate tensile loads for bolts and screws with full loadability, coarse pitch threads M2 and M2,5	10
Bibliography	11