INTERNATIONAL STANDARD

ISO 11617

Second edition 2022-01

Building and civil engineering sealants — Determination of changes in cohesion and appearance of elastic weatherproofing sealants after exposure of statically cured specimens to artificial weathering and mechanical cycling



ISO 11617:2022(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Con	tents	Page
Fore	ord	iv
1	Scope	1
2	Normative references	1
3	Terms and definitions	
	Principle	
4	•	
5	Apparatus 5.1 Support 5.2 Spacers 5.3 Backing material (bond breaker) 5.4 Separators 5.5 Container 5.6 Ventilated convection-type oven 5.7 Fully automated test chamber with an artificial light source 5.8 Artificial light source 5.8.1 General 5.8.2 Xenon-arc light source (default) 5.8.3 Fluorescent ultraviolet source (option) 5.8.4 Open-flame carbon arc source (option) 5.9 Black standard (insulated) and black panel (uninsulated) temperature sensors 5.10 Measuring tools	
6		
6	Preparation of test specimens	
7	Conditioning 7.1 General 7.2 Method A (default) 7.3 Method B (option)	6 6
8	Test conditions	6
	8.1 Test conditions of artificial weathering 8.1.1 Test conditions of xenon-arc lamps device 8.1.2 Test conditions of fluorescent UV lamps device 8.1.3 Test conditions of open-flame carbon arc lamps device 8.2 Mechanical cycling 8.3 Degradation cycles	6
9	Test procedure	8
10	Examination for defects 10.1 General 10.2 Sections through sealant test specimen 10.3 Rating for cohesive cracks in zone C	9 9
11	Photo documentation of test specimens	12
12	Test report	
	x A (informative) Engineering drawing of anodized aluminium support assembly	
	x B (informative) The reference size of the separator	
	granhy	18