
**Thermal insulating products for
building equipment and industrial
installations — Determination of trace
quantities of water-soluble chloride,
fluoride, silicate, sodium ions and pH**

*Produits isolants thermiques pour les équipements de bâtiments et
les installations industrielles — Détermination des faibles quantités
d'ions chlorure, fluorure, silicate et sodium solubles dans l'eau et
mesure du pH*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	iv
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	1
4 Principle.....	1
5 Apparatus.....	1
5.1 General information.....	1
5.2 Preparation of aqueous extracts.....	2
5.3 Analyses.....	2
5.4 Materials.....	2
6 Test specimens.....	3
6.1 General.....	3
6.2 Dimensions of test specimens.....	3
6.3 Number of test specimens.....	3
6.4 Conditioning of test specimens.....	3
7 Procedure.....	3
7.1 Test conditions.....	3
7.2 Test procedure.....	3
7.2.1 Preparation of the leaching solution.....	3
7.2.2 Chloride determination.....	4
7.2.3 Fluoride determination.....	5
7.2.4 Silicate determination.....	5
7.2.5 Sodium determination.....	6
7.2.6 pH determination by use of pH meter.....	6
8 Calculation and expression of results.....	6
8.1 General.....	6
8.2 Chloride (Cl ⁻).....	6
8.2.1 Ion chromatography.....	6
8.2.2 Silver nitrate titration.....	7
8.3 Fluoride (F ⁻).....	7
8.4 Silicate (SiO ₃ ⁻).....	7
8.5 Sodium (Na ⁺).....	8
8.6 pH.....	8
9 Accuracy of measurement.....	8
10 Test report.....	9
Annex A (normative) Spectrophotometric determination of fluoride with zirconium SPADNS.....	10
Annex B (informative) General information related to the use of this document.....	11
Annex C (informative) Example of borosilicate glass equipment to prepare leaching solutions for thermal insulating products that float.....	12