

INTERNATIONAL
STANDARD

ISO
13779-3

Second edition
2018-12

**Implants for surgery —
Hydroxyapatite —**

**Part 3:
Chemical analysis and
characterization of crystallinity ratio
and phase purity**

Implants chirurgicaux — Hydroxyapatite —

*Partie 3: Analyse chimique et caractérisation du rapport de
cristallinité et de la purité de phase*



Reference number
ISO 13779-3:2018(E)

© ISO 2018



COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Chemical analysis	4
4.1 General	4
4.2 Analytical methods	4
4.3 Apparatus for chemical analysis	5
4.4 Reagents for chemical analysis	5
4.5 Procedure	5
4.6 Expression of results	6
5 X-ray diffraction analysis	6
5.1 General	6
5.2 Apparatus	6
5.3 Preparation of test samples	7
5.3.1 General	7
5.3.2 Coatings	7
5.3.3 Bulk sample	7
5.4 Calibration specimens	7
5.5 X-ray diffraction pattern collection	7
5.5.1 General	7
5.5.2 Identification of the crystallized phases	8
5.6 Calibration curves, limits and uncertainties	8
5.6.1 General	8
5.6.2 Plotting the calibration curves for the foreign phases	8
5.6.3 Detection limit (DL) and quantification limit (QL) of foreign phases	9
5.6.4 Uncertainty for determination of foreign phases content	10
5.7 Qualitative and quantitative determination of the foreign phases	11
5.7.1 Procedure	11
5.7.2 Expression of results	11
5.8 Calcium to phosphorous (Ca:P) ratio determination	11
5.8.1 General	11
5.8.2 Measurements on the sample	11
5.8.3 Uncertainty of Ca:P measurement	12
5.8.4 Expression of results	12
5.9 Determination of the crystallinity ratio	13
5.9.1 Rationale on different methods of determination of the crystallinity ratio	13
5.9.2 General	13
5.9.3 Procedure A	13
5.9.4 Procedure B	14
5.9.5 Uncertainty of the crystallinity ratio	14
5.9.6 Expression of results	14
6 Test report	14
Annex A (informative) Contamination of calcium phosphate	16
Annex B (normative) Testing of the purity of the phases used in the production of the calibration curves	17
Annex C (informative) Examples of X-ray diffraction patterns collected from various mixtures used to plot the calibration curves	19
Annex D (normative) Positions of hydroxyapatite lines used to measure the crystallinity ratio	24