

---

---

**Soil quality - Acid-base accounting  
procedure for acid sulfate soils —**

**Part 2:  
Chromium reducible sulfur (CRS)  
methodology**

*Qualité de l'eau — Méthode de comptage acide-base pour les sols  
sulfatés acides —*

*Partie 2: Méthode de sulfato réduction au chrome*





**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

Foreword	iv
Introduction	v
<b>1 Scope</b>	<b>1</b>
<b>2 Normative references</b>	<b>1</b>
<b>3 Terms and definitions</b>	<b>2</b>
<b>4 Principle</b>	<b>2</b>
4.1 Potential sulfidic acidity	2
4.2 Actual acidity and retained acidity	2
4.3 Acid neutralizing capacity	2
<b>5 Reagents for analysis of chromium reducible sulfur</b>	<b>2</b>
<b>6 Apparatus</b>	<b>4</b>
<b>7 Procedure for determining chromium reducible sulfur</b>	<b>5</b>
<b>8 Calculation of <math>S_{CR}</math></b>	<b>7</b>
<b>9 Reagents for determination of <math>pH_{KCl}</math> and TAA</b>	<b>8</b>
<b>10 Procedure for determination of <math>pH_{KCl}</math> and TAA</b>	<b>9</b>
10.1 Preparation of the suspension	9
10.2 Measurement of $pH_{KCl}$	9
10.3 Measurement of TAA	10
<b>11 Calculation of TAA</b>	<b>11</b>
<b>12 Procedure for determination of sulfur (<math>S_{KCl}</math>), calcium (<math>Ca_{KCl}</math>), and magnesium (<math>Mg_{KCl}</math>) extractable with 1 mol/l potassium chloride</b>	<b>11</b>
<b>13 Calculation of <math>S_{KCl}</math>, <math>Ca_{KCl}</math>, and <math>Mg_{KCl}</math></b>	<b>12</b>
<b>14 Reagents for determination of sulfur (<math>S_{HCl}</math>), calcium (<math>Ca_{HCl}</math>), and magnesium (<math>Mg_{HCl}</math>) extractable with hydrochloric acid</b>	<b>12</b>
<b>15 Procedure for determination of sulfur (<math>S_{HCl}</math>), calcium (<math>Ca_{HCl}</math>), and magnesium (<math>Mg_{HCl}</math>) extractable with hydrochloric acid</b>	<b>12</b>
<b>16 Calculation of net acid-soluble sulfur (<math>S_{NAS}</math>), calcium (<math>Ca_{NAS}</math>), and magnesium (<math>Mg_{NAS}</math>)</b>	<b>13</b>
<b>17 Reagents for determining acid neutralizing capacity by back-titration (<math>ANC_{BT}</math>)</b>	<b>13</b>
<b>18 Procedure for determining acid neutralizing capacity by back-titration (<math>ANC_{BT}</math>)</b>	<b>14</b>
18.1 Hotplate digestion with hydrochloric acid solution	14
18.2 Titration of unreacted acid in digested soil suspension	14
<b>19 Alternatives for determination of acid neutralizing capacity</b>	<b>15</b>
<b>20 Precision</b>	<b>15</b>
<b>21 Test report</b>	<b>16</b>
<b>Bibliography</b>	<b>18</b>