
**Information technology — Office
equipment — Method for measuring
first print out time for digital printing
devices**

*Technologies de l'information — Équipements de bureau — Méthode
de mesure de la première page hors délai d'un dispositif d'impression
numérique*



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Terms and definitions	1
3 Test Parameters and Conditions	3
3.1 Test Platform.....	3
3.2 Test Platform Test Setup Procedures.....	3
3.3 Printing Device System Setup.....	4
3.4 Printing Device Connection.....	5
3.5 Printing Device Condition.....	5
3.6 Sample Size.....	5
3.7 Paper.....	5
3.8 Maintenance.....	5
3.9 Test Files, Test Suites and Software Applications.....	5
3.10 Environment.....	6
3.11 Voltage.....	6
4 Test Method	6
4.1 Test Measurement Procedure.....	6
4.2 Test Method Process.....	11
4.3 Required Tests.....	11
4.4 Optional Special Tests.....	12
5 Calculations and Treatment of Data	13
5.1 Treatment of Data.....	13
5.2 FPOT from Ready.....	13
5.3 FPOT from Sleep.....	13
5.4 FPOT from Off.....	13
6 Presentation of Results	13
Annex A (normative) Test platform system parameters that may affect digital printing productivity measurements	16
Annex B (normative) Test Suite	20
Annex C (informative) Report Presentation	22
Annex D (informative) An example of printing device and test settings to record	24
Annex E (informative) An example of a Full Detailed Report	25
Annex F (normative) Procedure to Establish FPOT from Ready Delay Time	28