

INTERNATIONAL
STANDARD

ISO/IEC
18093

First edition
1999-12-15

**Information technology — Data
interchange on 130 mm optical disk
cartridges of type WORM (Write Once
Read Many) using irreversible effects —
Capacity: 5,2 Gbytes per cartridge**

*Technologies de l'information — Échange de données sur cartouches
pour disques optiques de 130 mm de diamètre de type WORM en
utilisant des effets irréversibles — Capacité: 5,2 giga-octets par
cartouche*

Reference number
ISO/IEC 18093:1999(E)



© ISO/IEC 1999

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO/IEC 1999

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 734 10 79
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

Contents

Section 1 – General	1
1 Scope	1
2 Conformance	1
2.1 Optical Disk Cartridge (ODC)	1
2.2 Generating System	1
2.3 Receiving System	1
2.4 Compatibility statement	1
3 Normative reference	1
4 Terms and definitions	2
4.1 asymmetry	2
4.2 band	2
4.3 case	2
4.4 clamping zone	2
4.5 control track	2
4.6 Cyclic Redundancy Check (CRC)	2
4.7 defect management	2
4.8 direct overwrite	2
4.9 disk reference plane	2
4.10 entrance surface	2
4.11 Error Correction Code (ECC)	2
4.12 format	2
4.13 hub	2
4.14 interleaving	2
4.15 Kerr rotation	2
4.16 land and groove	2
4.17 logical track	2
4.18 mark	2
4.19 mark edge	2
4.20 mark edge recording	2
4.21 optical disk	2
4.22 optical disk cartridge (ODC)	2
4.23 physical track	2
4.24 polarization	2
4.25 pre-recorded mark	2
4.26 read power	2
4.27 recording layer	2
4.28 Reed-Solomon code	3
4.29 space	3
4.30 spindle	3
4.31 substrate	3
4.32 track pitch	3
4.33 write-inhibit hole	3
4.34 write-once functionality	3
4.35 zone	3
5 Conventions and notations	3
5.1 Representation of numbers	3
5.2 Names	3
6 List of acronyms	3