

# TECHNICAL REPORT

ISO/TR  
17321-5

First edition  
2021-01

---

---

---

## Graphic technology and photography — Colour characterization of digital still cameras (DSCs) —

### Part 5: Colour targets including saturated colours for colour characteristic evaluation test for colorimetric image capture

*Technologie graphique et photographie — Caractérisation de la  
couleur des appareils photonumériques —*

*Partie 5: Cibles de couleurs incluant des couleurs saturées pour l'essai  
d'évaluation des caractéristiques chromatiques pour la capture  
d'images en mode colorimétrique*



Reference number  
ISO/TR 17321-5:2021(E)

© ISO 2021



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

	Page
<b>Foreword</b>	<b>iv</b>
<b>Introduction</b>	<b>v</b>
<b>1 Scope</b>	<b>1</b>
<b>2 Normative references</b>	<b>1</b>
<b>3 Terms and definitions</b>	<b>1</b>
<b>4 Highly-saturated colour targets</b>	<b>2</b>
4.1 General	2
4.2 Extension of real existing spectra using eigenvector method	2
4.2.1 General	2
4.2.2 Selection of spectra database	2
4.2.3 Spectral reconstruction from the eigenvectors	3
4.3 Artificial (LED-based) spectra whose wavelength peak is on colour-difference-sensitive wavelength (CDSW)	4
4.3.1 General	4
4.3.2 The method to define the colour-difference-sensitive wavelength (CDSW)	4
4.3.3 Selection of LED for CDSW targets	6
<b>5 FOM metric for evaluation of overall sensor spectral sensitivities, used in the digital cameras</b>	<b>8</b>
5.1 General	8
5.2 Evaluation metrics for OSSS	8
5.3 Advantages and disadvantages of $\Delta E$ ( $\Delta E$ ) evaluation	9
5.4 How 17321-5 datasets can be used for <b>FOMs</b>	9
5.5 Worked examples	11
<b>Annex A (informative) Selection and eigenvectors of spectral distribution set</b>	<b>13</b>
<b>Annex B (informative) Colour gamut of boundary colour</b>	<b>15</b>
<b>Annex C (informative) Worked example for spectral distribution generation of Pointer's surface colours</b>	<b>16</b>
<b>Annex D (informative) Background information for defining CDSW</b>	<b>26</b>
<b>Annex E (informative) Additional 410nm to colour-difference-sensitive wavelengths (CDSW)</b>	<b>29</b>
<b>Annex F (informative) Colour differences of patches of CDSW target</b>	<b>30</b>
<b>Annex G (informative) Spectral distribution of CDSW target for ITU-R BT.2020</b>	<b>31</b>
<b>Annex H (informative) Spectral distribution dataset for users to download</b>	<b>34</b>
<b>Bibliography</b>	<b>35</b>