
**Elastomeric seals — Material
requirements for seals used in pipes
and fittings carrying gaseous fuels and
hydrocarbon fluids**

*Garnitures d'étanchéité en élastomères — Exigences matérielles pour
les joints utilisés dans les canalisations et les raccords véhiculant des
combustibles gazeux et des hydrocarbures liquides*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Classification	2
5 Requirements	2
5.1 Materials	2
5.2 Finished-seal requirements	3
5.2.1 Dimensional tolerances	3
5.2.2 Imperfections and defects	3
5.2.3 Hardness	3
5.2.4 Tensile strength and elongation at break	3
5.2.5 Compression set in air	3
5.2.6 Accelerated ageing in air	4
5.2.7 Stress relaxation in compression	4
5.2.8 Volume change in liquid B	4
5.2.9 Volume change in oil	4
5.2.10 Ozone resistance	4
5.2.11 Compression set at -15 °C	5
6 Test pieces and temperature	5
6.1 Preparation of test pieces	5
6.2 Test temperature	5
7 Quality assurance	7
8 Storage	7
9 Designation	8
10 Marking and labelling	8
Annex A (informative) Quality assurance	9
Annex B (informative) Guidance on storage of seals	10
Bibliography	11