
**Road vehicles — Blended fuels
refuelling connector**

*Véhicules routiers — Pistolet de remplissage pour les mélanges
de carburants gazeux*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	2
3 Terms and definitions	2
4 General construction requirements	3
5 Nozzles	5
6 Standard receptacle dimensions	6
6.1 Standard receptacle dimensions Size 1 (M200, M250, M350).....	6
6.2 Standard receptacle dimensions size 2 (N200, N250).....	10
7 Receptacles	12
8 Instructions	12
9 Marking	13
10 Tests	14
10.1 General requirements.....	14
10.2 User interface.....	14
10.3 Impact resistance.....	15
10.4 Receptacle protective caps.....	15
10.5 Leakage at room temperature.....	15
10.6 Valve operating handle.....	16
10.7 Abnormal loads.....	16
10.8 Rocking/twisting.....	17
10.9 Mounting hardware torque.....	18
10.10 Leakage test at low and high temperatures.....	18
10.11 Durability.....	19
10.12 Hydrostatic strength.....	22
10.13 Corrosion resistance.....	22
10.14 Deformation.....	23
10.15 Non-igniting evaluation.....	23
10.16 Vibration resistance.....	23
10.17 Hydrogen embrittlement.....	23
10.18 Pressure tight protective cap (PTPC).....	24
Annex A (informative) Table of nozzle characteristics	32
Annex B (informative) Manufacturing and production test plan	33
Annex C (informative) Receptacle test fixture	34
Annex D (informative) Nozzle clearance dimensions	44
Bibliography	45