
Measurement of radioactivity in the environment — Air — Radon 220: Integrated measurement methods for the determination of the average activity concentration using passive solid-state nuclear track detectors

Mesurage de la radioactivité dans l'environnement — Air — Radon 220: Méthode de mesure intégrée pour la détermination de l'activité volumique moyenne avec des détecteurs passifs solides de traces nucléaires





COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms, definitions, and symbols	1
3.1 Terms and definitions.....	1
3.2 Symbols.....	3
4 Principle of the measurement method	4
5 Equipment	5
6 Sampling	6
6.1 Sampling objective.....	6
6.2 Sampling characteristics.....	6
6.3 Sampling conditions.....	6
7 Detection method with solid-state nuclear track detectors (SSNTD)	7
8 Measurement procedure	7
8.1 General.....	7
8.2 Influencing variables.....	8
8.3 Calibration.....	8
9 Expression of results	9
9.1 Average thoron activity concentration.....	9
9.2 Standard uncertainty.....	9
9.3 Decision threshold.....	10
9.4 Detection limit.....	10
9.5 Confidence limits.....	11
9.6 Example.....	11
10 Test report	12
Annex A (informative) Radon-220 and its decay products	14
Bibliography	16