
**Petroleum and natural gas
industries — Materials selection for
high content CO₂ for casing, tubing
and downhole equipment**

*Industries du pétrole et du gaz naturel — Choix des matériaux une
teneur élevée en CO₂ pour tubes de cuvelage et de production et
équipements de fond*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms, definitions and abbreviated terms	2
3.1 Terms and definitions	2
3.2 Abbreviated terms	5
4 Guidelines for corrosion evaluation	5
4.1 General	5
4.2 Corrosion by produced or injected fluids — Corrosion likelihood	6
4.2.1 Gas production wells	7
4.2.2 Injection wells	7
5 Materials selection	7
5.1 Gas injection with high CO ₂ content	8
5.2 Water alternating gas with high CO ₂ content (WAG) injection systems	8
5.3 Gas production wells with high CO ₂ content	9
5.4 Production casing	9
5.5 Sealing and packers	10
5.5.1 General	10
5.5.2 Non-metallic seals and packing elements	10
5.6 Liners	11
6 Corrosion control	12
6.1 Corrosion prevention	12
6.1.1 Completion with CRA and cladding	12
6.1.2 Completion with GRE liners	12
6.2 Corrosion management	12
6.3 Internal corrosion allowance	12
Annex A (informative) Example of material selection for gas production	13
Bibliography	16