

## INTERNATIONAL STANDARD ISO/IEC 23003-1:2007 TECHNICAL CORRIGENDUM 1

Published 2008-02-01

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION

• MEXCHAPOCHAS OPPAHU3ALUS ПО СТАНДАРТИЗАЦИЯ 
• ORGANISATION INTERNATIONALE DE NORMALISATION

INTERNATIONAL ELECTROTECHNICAL COMMISSION

• MEXCHAPOCHAS OPPAHU3ALUS ПО СТАНДАРТИЗАЦИЯ 
• ORGANISATION INTERNATIONALE DE NORMALISATION

MEXCHAPOCHAS OPPAHU3ALUS 
• ORGANISATION INTERNATIONALE 

MEXCHAPOCHAS OPPAHU3ALUS 
• ORGANISATION INTERNATION INTERNATION INTERNATION INTERNATION INTERNATION INTERNATION INTERNATION INTERNATI

## Information technology — MPEG audio technologies —

## Part 1: MPEG Surround

**TECHNICAL CORRIGENDUM 1** 

Technologies de l'information — Technologies audio MPEG —
Partie 1: Ambiance MPEG

RECTIFICATIF TECHNIQUE 1

Technical Corrigendum 1 to ISO/IEC 23003-1:2007 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information Technology*, Subcommittee SC 29, *Coding of Audio, Picture, Multimedia and Hypermedia Information*.

## ISO/IEC 23003-1:2007/Cor.1:2008(E)

In the following, changes in existing text and tables are highlighted by gray background.
Throughout the whole document, replace:
down-mix
by:
downmix
Throughout the whole document, replace:
down mix
by:
downmix
Throughout the whole document, replace:
Uimsbf
by:
uimsbf
Throughout the whole document, replace:
Vicibf
by:
vicibf
Throughout the whole document, replace:
UiMsbf
by:
uimsbf

Throughout the whole document, replace:
BsMsbf
by:
bsmsbf
Throughout the whole document, including subclause headings, replace:
signalling
by:
signaling
and replace:
Signalling
by:
Signaling
In subclause 3.1, insert at the beginning the new subclause 3.1.1 given below and increment the numbering of the following subclauses 3.1.x:
3.1.1 ATD Arbitrary Tree Data, corresponds to CLD for arbitrary tree elements.
In subclause 3.1.19, insert a line break between "3.1.19" and "processing band".
In subclause 4.3.1.4, replace the title:
Enhanced Matrixed Mode of MPEG Surround
by:
Enhanced Matrix Mode of MPEG Surround
In subclause 4.3.1.4, in the first paragraph, replace:
includes an enhanced matrixed mode that creates
by:
includes an enhanced matrix mode that creates