
**Information technology —
Telecommunications and information
exchange between systems — Corporate
Telecommunication Networks —
Signalling Interworking between QSIG
and SIP — Call Transfer**

*Technologies de l'information — Télécommunications et échange
d'information entre systèmes — Réseaux de télécommunications
d'entreprise — Interaction de signalisation entre QSIG et SIP —
Transfert d'appel*

Reference number
ISO/IEC 23916:2005(E)



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO/IEC 2005

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
Introduction.....	vi
1 Scope	1
2 Normative references	1
3 Terminology	2
4 Definitions	3
4.1 External definitions	3
4.2 Other definitions	3
4.2.1 User A	3
4.2.2 User B	3
4.2.3 User C	3
4.2.4 Call transfer.....	3
4.2.5 Single step call transfer	4
4.2.6 Call transfer by join	4
4.2.7 Call transfer by rerouteing	4
4.2.8 Corporate telecommunication Network (CN).....	4
4.2.9 IP network	4
4.2.10 Private Integrated Services Network (PISN)	4
4.2.11 Private Integrated services Network eXchange (PINX)	4
5 Abbreviations and acronyms	4
6 Background and architecture	5
7 Procedures	5
7.1 Call transfers in QSIG	5
7.2 Call transfer in SIP.....	6
7.3 Scope of the interworking functions	6
7.3.1 QSIG side	6
7.3.2 SIP side.....	6
7.3.3 Discussion over transfer interworking functions	6
7.4 Mapping of numbers and URIs	9
7.5 UAC Processing	10
7.5.1 Receipt of a FACILITY message with callTransferComplete invoke APDU	10
7.5.2 Receipt of a FACILITY message with callTransferUpdate invoke APDU.....	10
7.5.3 Receipt of a FACILITY message with ssctInitiate invoke APDU.....	10
7.5.4 Receipt of a SETUP message with ssctSetup invoke APDU	11
7.5.5 Receipt of a FACILITY message with subaddressTransfer invoke APDU.....	12
7.6 UAS Processing.....	12
7.6.1 Receipt of a SIP REFER request	12
7.6.2 Receipt of a SIP INVITE request.....	17
7.6.3 Receipt of a SIP request with revised identity	18
8 Example message sequences.....	19
8.1 Call transfer by join where User B and C are SIP participants	19
8.2 Call transfer where User A is a SIP participant.....	20
8.3 Call transfer where User A is a SIP participant and where two gateways are used.....	21
8.4 Call transfer where User A and User B are SIP participants.....	22
8.5 Single step call transfer where User B is a SIP participant	23
8.6 Unsuccessful Single step call transfer where User A and User C are SIP participants	24
8.7 Single step call transfer where User A and User B are SIP participants.....	25
9 Security considerations	25