

INTERNATIONAL
STANDARD

ISO/IEC
24727-4

First edition
2008-11-01

**Identification cards — Integrated circuit
card programming interfaces —**

**Part 4:
Application programming interface (API)
administration**

*Cartes d'identification — Interfaces programmables de cartes à puce —
Partie 4: Administration d'interface de programmation (API)*

Reference number
ISO/IEC 24727-4:2008(E)



© ISO/IEC 2008

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions.....	2
4 Abbreviated terms	3
5 Architecture specialization	4
5.1 Full-network-stack	6
5.2 Loyal-stack	8
5.3 Opaque-ICC-stack.....	9
5.4 Remote-loyal-stack	10
5.5 ICC-resident-stack	11
5.6 Remote-ICC-stack	12
6 Security architecture	12
6.1 Path-protection-policy.....	12
6.2 ACL – ACR mapping.....	14
6.3 Secure messaging	14
6.4 Trusted-channel key administration	15
7 Connection components.....	15
7.1 Action request and response semantics.....	15
7.2 Proxy – Agent Architecture	15
7.3 Trusted-channel Interface	16
7.3.1 TC_API_Open request.....	17
7.3.2 TC_API_Close request	18
7.3.3 TC_API_Read request	19
7.3.4 TC_API_Write request	20
7.3.5 TC_API_Reset request	21
7.3.6 TC_API_GetStatus request	22
7.4 Interface Device API	23
7.4.1 Establish Context.....	24
7.4.2 ReleaseContext.....	25
7.4.3 ListIFDs	26
7.4.4 GetIFDCapabilities	27
7.4.5 GetStatus	30
7.4.6 Wait.....	32
7.4.7 Cancel	33
7.4.8 ControlIFD	34
7.4.9 Connect.....	35
7.4.10 Disconnect.....	36
7.4.11 BeginTransaction.....	37
7.4.12 EndTransaction	38
7.4.13 Transmit.....	39
7.4.14 VerifyUser	40
7.4.15 ModifyVerificationData	43
7.4.16 Output	45
7.4.17 SignalEvent	47