
**Information technology —
Telecommunications and information
exchange between systems — MAC/PHY
standard for ad hoc wireless network to
support QoS in an industrial work
environment**

*Technologies de l'information — Télécommunications et échange
d'information entre systèmes — Norme MAC/PHY pour un réseau ad
hoc sans fil qui supporte QoS dans un environnement de travail
industriel*



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents	Page
1	Scope1
2	Normative references1
3	Terms and definitions, and abbreviations2
3.1	Terms and definitions.....2
3.2	List of Abbreviations3
4	Overview7
4.1	Characteristics7
4.1.1	Ad-hoc network7
4.1.2	Quality of Service7
4.1.3	Binary CDMA technology7
4.2	Components of network7
4.2.1	Station8
4.2.2	Resources8
4.3	Functional overview8
4.3.1	Network synchronization9
4.3.2	Data transmission9
4.3.3	Security10
4.3.4	Power management11
4.3.5	Master handover11
4.4	Summary of operations11
4.4.1	Broadcasting during the beacon period11
4.4.2	Random access during the contention period11
4.4.3	Exclusive access during the allocation period11
4.5	Summary of states12
4.5.1	Establishing the network12
4.5.2	Associating with the network12
4.5.3	Security membership and key establishment12
4.5.4	Data transfer12
4.5.5	Master handover12
4.5.6	Disassociating from the network13
4.5.7	Terminating the network13
5	Inter-layer interfaces14
5.1	Summary14
5.2	General format of management primitives14
5.2.1	MLME-GET.request and PLME-GET.request15
5.2.2	MLME-GET.confirm and PLME-GET.confirm16
5.2.3	MLME-SET.request and PLME-SET.request16
5.2.4	MLME-SET.confirm and PLME-SET.confirm16
5.3	MLME SAP17
5.3.1	Reset18
5.3.2	Scan19
5.3.3	Startup of network21
5.3.4	Synchronization22
5.3.5	Association24
5.3.6	Disassociation27
5.3.7	Key request29
5.3.8	Key distribution31
5.3.9	Security management34
5.3.10	Master handover38
5.3.11	Data request40
5.3.12	Network node data probe42
5.3.13	Stream creation, modification, termination44