
**Plastics — Guidance on fire
characteristics and fire performance
of PVC materials used in building
applications**

*Plastiques — Lignes directrices relatives aux caractéristiques et
aux performances au feu des matériaux en PVC utilisés dans les
applications de construction*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 PVC building materials and products	3
4.1 Definition and description.....	3
4.1.1 General.....	3
4.1.2 PVC-U based products.....	4
4.1.3 PVC-P based products.....	4
4.1.4 PVC-C based products.....	5
4.1.5 Flame retardants.....	5
4.2 Product standards.....	6
5 Fire safety strategy	8
5.1 Fire safety objectives.....	8
5.1.1 General.....	8
5.1.2 Safety of life.....	9
5.1.3 Conservation of property.....	9
5.1.4 Continuity of business or service operations.....	10
5.1.5 Protection of the environment.....	10
5.1.6 Preservation of heritage.....	11
5.2 Fire scenarios.....	11
6 Fire test methods — Description and relevance	13
6.1 General.....	13
6.1.1 Reaction to fire tests applicable to plastics construction products.....	13
6.1.2 Intermediate scale plastics reaction to fire tests.....	14
6.1.3 Fire stage and fire tests.....	14
6.1.4 Assessment of the fire threat to people.....	14
6.2 Relevance of results and studies comparisons.....	15
7 Material fire characteristics relevant for PVC construction products	16
7.1 Combustibility.....	16
7.2 Ignitability.....	18
7.2.1 Ignition temperature.....	18
7.2.2 Ignitability measured by the cone calorimeter test.....	19
7.3 Oxygen index.....	20
7.4 Heat release and heat release rate.....	21
7.4.1 General.....	21
7.4.2 Heat release data.....	22
7.5 Flame spread.....	24
7.5.1 General.....	24
7.5.2 Flame spread by flame propagation.....	26
7.5.3 Flame spread by flaming droplets.....	26
7.6 Smoke generation.....	27
7.6.1 Smoke obscuration.....	27
7.6.2 Smoke toxicity.....	28
7.6.3 Smoke corrosivity.....	31
7.6.4 HCl decay.....	32
7.7 Char formation and intumescence.....	33
Annex A (informative) Example of reaction to fire performance — PVC-U pipe	34
Annex B (informative) Example case history — Plastimet accident	35