
**Fasteners — Fundamentals of
hydrogen embrittlement in steel
fasteners**

*Fixations — Principes de la fragilisation par l'hydrogène pour les
fixations en acier*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols and abbreviated terms	4
5 General description of hydrogen embrittlement	4
6 Hydrogen damage mechanism	4
7 Fracture morphology	5
8 Conditions at the tip of a crack	7
9 Conditions for hydrogen embrittlement failure	7
9.1 Root cause and triggers for hydrogen embrittlement failure.....	7
9.2 Material susceptibility.....	8
9.2.1 General.....	8
9.2.2 Defects and other conditions causing abnormal material susceptibility.....	10
9.2.3 Methodology for measuring HE threshold stress.....	10
9.3 Tensile stress.....	11
9.4 Atomic hydrogen.....	12
9.4.1 Sources of hydrogen.....	12
9.4.2 Internal hydrogen.....	12
9.4.3 Environmental hydrogen.....	13
10 Case-hardened fasteners	13
11 Hot dip galvanizing and thermal up-queenching	15
12 Stress relief prior to electroplating	16
13 Fasteners thread rolled after heat treatment	16
14 Hydrogen embrittlement test methods	17
15 Baking	17
Bibliography	19