
**Plastics — Epoxy resins —
Determination of degree of
crosslinking of crosslinked epoxy
resins by Fourier Transform Infrared
(FTIR) Spectroscopy**

*Plastiques — Résines époxy — Détermination du degré de
réticulation des résines époxy réticulées par spectroscopie infrarouge
à transformée de Fourier (FTIR)*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	2
5 Materials	3
6 Apparatus	3
7 Procedure	4
7.1 Preparation of measuring.....	4
7.2 Preliminary test.....	4
7.2.1 General.....	4
7.2.2 Procedure for preliminary test.....	4
7.3 FTIR measurement on the crosslinked sample under investigation.....	5
8 Expression of results	5
9 Precision	5
9.1 General.....	5
9.2 Materials and crosslinking conditions.....	5
9.3 Precision of the method.....	6
10 Test report	6
Bibliography	7