

INTERNATIONAL  
STANDARD

ISO  
20456

First edition  
2017-09

---

---

---

**Measurement of fluid flow in closed  
conduits — Guidance for the use  
of electromagnetic flowmeters for  
conductive liquids**

*Mesurage du débit des fluides dans les conduites fermées — Lignes  
directrices pour l'utilisation des débitmètres électromagnétiques dans  
les liquides conducteurs*



Reference number  
ISO 20456:2017(E)

© ISO 2017



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Ch. de Blandonnet 8 • CP 401  
CH-1214 Vernier, Geneva, Switzerland  
Tel. +41 22 749 01 11  
Fax +41 22 749 09 47  
[copyright@iso.org](mailto:copyright@iso.org)  
[www.iso.org](http://www.iso.org)

# Contents

	Page
<b>Foreword</b>	<b>iv</b>
<b>Introduction</b>	<b>v</b>
<b>1 Scope</b>	<b>1</b>
<b>2 Normative references</b>	<b>1</b>
<b>3 Terms and definitions</b>	<b>1</b>
<b>4 Symbols</b>	<b>3</b>
<b>5 Theory and basic formulae</b>	<b>4</b>
<b>6 Construction and principle of operation</b>	<b>4</b>
6.1 General	4
6.2 Sensor	5
6.3 Transmitter	7
6.3.1 General	7
6.3.2 Alternating magnetic field in the measuring system	7
6.3.3 Measuring system with applied pulsed DC excitation (simplified model)	7
6.3.4 Measuring system with applied AC excitation (simplified model)	8
6.4 Flowmeter/Transmitter output	9
<b>7 Equipment marking</b>	<b>9</b>
7.1 Recommended data	9
7.1.1 Sensor	9
7.1.2 Transmitter	10
<b>8 Installation design and practice</b>	<b>10</b>
8.1 Sensor	10
8.1.1 Sizing	10
8.1.2 Mounting conditions	11
8.1.3 Potential equalization — General requirements	12
8.1.4 Electrical connections	13
8.1.5 Sensor mounting	13
8.1.6 Installation dimensions for flanged connections	14
8.2 Transmitter location	15
8.3 Operational considerations	16
8.3.1 General	16
8.3.2 Effect of the liquid conductivity	16
8.3.3 Reynolds number effect	16
8.3.4 Velocity profile effect	16
<b>9 Flowmeter calibration, validation, and verification</b>	<b>16</b>
9.1 Flowmeter calibration	16
9.2 Flowmeter verification ( <i>in-situ</i> electronic verification)	16
<b>10 Evaluation of flowmeter performance</b>	<b>17</b>
10.1 General	17
10.2 Applications within the scope of other standards	17
<b>11 Uncertainty analysis</b>	<b>17</b>
<b>Annex A (informative) Materials for construction of sensors</b>	<b>19</b>
<b>Annex B (informative) Practical considerations for measuring system with AC and DC excitation</b>	<b>22</b>
<b>Annex C (informative) Cathodic protection</b>	<b>23</b>
<b>Annex D (informative) Conversion of nominal diameters from metric to US units</b>	<b>24</b>
<b>Annex E (informative) Manufacturers' accuracy specifications</b>	<b>25</b>
<b>Bibliography</b>	<b>29</b>