

---

---

**Water quality — Multi-compound  
class methods —**

Part 1:  
**Criteria for the identification of  
target compounds by gas and  
liquid chromatography and mass  
spectrometry**

*Qualité de l'eau — Méthodes d'analyse de composés multi-classes —*

*Partie 1: Critères pour l'identification de composés cibles par  
chromatographie en phase gazeuse ou liquide et spectrométrie de  
masse*





**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Fax: +41 22 749 09 47  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

<b>Foreword</b> .....	<b>iv</b>
<b>Introduction</b> .....	<b>v</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Abbreviated terms</b> .....	<b>2</b>
<b>5 Principle</b> .....	<b>3</b>
<b>6 Apparatus</b> .....	<b>3</b>
<b>7 Identification of target compounds</b> .....	<b>4</b>
7.1 Procedure for identification of organic compounds with chromatography-mass spectrometry.....	4
7.2 Step 1: Chromatographic separation.....	5
7.3 Step 2: Mass spectrometric evaluation.....	6
7.3.1 Mass spectrometric detection.....	6
7.3.2 Selection of diagnostic ions.....	6
7.3.3 Assigning identification points.....	7
7.4 Step 3: Additional analytical confirmation evaluation.....	8
7.5 Reporting the presence of target compounds.....	9
7.5.1 Identification.....	9
7.5.2 Indication.....	9
7.5.3 Absence of the target compounds (<detection limit).....	9
<b>8 Test report</b> .....	<b>9</b>
<b>Annex A (informative) Recommendations for the most commonly used techniques</b> .....	<b>10</b>
<b>Annex B (normative) Criteria for full scan measurement</b> .....	<b>12</b>
<b>Annex C (informative) Diagnostic ions to be used for identification using GC-MS<sup>n</sup> and LC-MS<sup>n</sup></b> .....	<b>13</b>
<b>Annex D (informative) Examples of calculating identification points</b> .....	<b>14</b>
<b>Bibliography</b> .....	<b>21</b>