
**Styrene-butadiene rubber (SBR) —
Determination of the microstructure
of solution-polymerized SBR —**

**Part 1:
¹H-NMR and IR with cast-film method**

*Caoutchouc styrène-butadiène (SBR) — Détermination de la
microstructure du SBR polymérisé en solution —*

Partie 1: Méthode ¹H-NMR et IR avec film moulé





COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 NMR method (absolute method)	1
3.1 Principle.....	1
3.2 Reagents.....	2
3.3 Apparatus.....	2
3.4 Sampling.....	2
3.5 Procedure.....	2
3.6 Determination of the microstructure.....	3
4 IR method (relative method)	4
4.1 Principle.....	4
4.2 Reagents.....	4
4.3 Apparatus.....	4
4.4 Sampling.....	5
4.5 Procedure.....	5
4.5.1 Preparation of sample solution.....	5
4.5.2 Preparation of film coating.....	5
4.5.3 Measurement of IR spectrum.....	5
4.6 Determination of microstructure.....	6
4.6.1 Measurement of absorbance corresponding to each microstructure component.....	6
4.6.2 Calculation.....	7
4.7 Conversion of the IR method results to absolute results.....	8
5 Precision	9
6 Test report	9
Annex A (informative) Procedure for sample-film preparation and measurement of microstructure by FTIR spectrophotometry	10
Annex B (informative) Precision	15
Bibliography	17