

INTERNATIONAL
STANDARD

ISO
22476-9

First edition
2020-09

**Geotechnical investigation and
testing — Field testing —**

**Part 9:
Field vane test (FVT and FVT-F)**

*Reconnaissance et essais géotechniques — Essais en place —
Partie 9: Essai au scissomètre de chantier*



Reference number
ISO 22476-9:2020(E)

© ISO 2020



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

| | Page |
|--|-----------|
| Foreword | v |
| Introduction | vi |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms, definitions and symbols | 1 |
| 3.1 Terms and definitions | 1 |
| 3.2 Symbols | 4 |
| 4 Equipment and configurations | 6 |
| 4.1 Test equipment | 6 |
| 4.1.1 Vane and vane shaft | 6 |
| 4.1.2 Friction reducer | 7 |
| 4.1.3 Slip coupling | 7 |
| 4.1.4 Extension rods, protective casings, protection shoe | 7 |
| 4.1.5 Rotation unit | 8 |
| 4.1.6 Equipment for measuring rotation and torque | 8 |
| 4.2 Test configurations | 8 |
| 5 Selection of equipment and test configuration | 10 |
| 5.1 Selection of equipment | 10 |
| 5.2 Selection of test configuration | 11 |
| 6 Test procedure | 12 |
| 6.1 Equipment checks and calibrations | 12 |
| 6.2 Position and inclination of thrust machine | 12 |
| 6.3 Test depths | 12 |
| 6.4 Internal friction torque reading prior to testing | 12 |
| 6.5 Methods for reaching the level for insertion of the vane | 12 |
| 6.6 Insertion of the vane | 14 |
| 6.7 External friction torque reading | 15 |
| 6.8 Vane shear test | 15 |
| 6.9 Internal friction torque reading after the test | 16 |
| 7 Test results | 16 |
| 8 Reporting | 17 |
| 8.1 General | 17 |
| 8.2 Reporting of test results | 17 |
| 8.2.1 General information | 17 |
| 8.2.2 Location of the test | 18 |
| 8.2.3 Test equipment | 18 |
| 8.2.4 Test procedure | 18 |
| 8.2.5 Test results | 19 |
| 8.3 Presentation of test plots | 19 |
| Annex A (informative) Test phases | 20 |
| Annex B (informative) Example of field report for field vane test | 21 |
| Annex C (normative) Maintenance, checks and calibration | 23 |
| Annex D (informative) Uncertainties in field vane testing | 26 |
| Annex E (normative) General interpretation and explanation for tapered and rectangular vanes with H/D ratios differing from 2 | 28 |
| Annex F (informative) Interpretation and explanation for a rectangular vane with rounded corners | 31 |
| Annex G (informative) Calculation of test depth corrected for inclination | 33 |