

INTERNATIONAL
STANDARD

ISO
22568-4

Second edition
2021-12

**Foot and leg protectors —
Requirements and test methods for
footwear components —**

**Part 4:
Non-metallic perforation resistant
inserts**

*Protecteurs du pied et de la jambe — Exigences et méthodes d'essais
pour les composants de chaussure —*

Partie 4: Inserts anti-perforation non métalliques



Reference number
ISO 22568-4:2021(E)

© ISO 2021



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Requirements for non-metallic perforation resistant inserts	2
4.1 General	2
4.2 Resistance to perforation	2
4.3 Flexing resistance	3
4.4 Stability against ageing and environmental influence	3
4.5 Electrical resistance	3
5 Test methods for the non-metallic perforation tests	3
5.1 Determination of perforation resistance	3
5.1.1 Method PL: with conical nail 4,5 mm diameter	3
5.1.2 Method PS: with conical nail 3,0 mm diameter	3
5.2 Determination of flexing resistance	3
5.2.1 Apparatus	3
5.2.2 Sampling	4
5.2.3 Test procedure	5
5.2.4 Results	5
5.2.5 Test report	5
5.3 Test methods for the assessment non-metallic perforation resistant inserts in critical environment	6
5.3.1 Sampling	6
5.3.2 Effect of high temperature	6
5.3.3 Effect of acid sweat	6
5.3.4 Effect of alkali sweat	6
5.3.5 Effect of fuel oil	6
5.3.6 Results	6
5.3.7 Test report	6
5.4 Determination of the electrical resistance	7
5.4.1 Testing procedure	7
5.4.2 Test report	7
6 Marking	8
Annex A (normative) Method PL: perforation resistance with the conical nail 4,5 mm diameter	9
Annex B (normative) Method PS: Perforation resistance with the conical nail 3,0 mm diameter	13
Bibliography	18