
Implants for surgery — Wear of total ankle-joint prostheses — Loading and displacement parameters for wear-testing machines with load or displacement control and corresponding environmental conditions for test

Implants chirurgicaux — Usure des prothèses totales de l'articulation de la cheville — Paramètres de charge et de déplacement pour machines d'essai d'usure avec contrôle de la charge ou du déplacement et conditions environnementales correspondantes d'essai





COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	6
5 Specimens and lubricants	7
6 Apparatus	8
7 Procedure	14
8 Test report	15
9 Disposal of test specimen	16
Annex A (informative) Details of load and displacement parameters for the test cycle described in Figures 6, 7, 8 and 10 for wear-testing machines with load control	17
Annex B (informative) Details of load and displacement parameters for the test cycle described in Figures 6, 8, 9 and 11 for wear-testing machines with displacement control	21
Bibliography	25