
**Fibre-reinforced composites —
Method for accelerated moisture
absorption and supersaturated
conditioning by moisture using sealed
pressure vessel**

*Composites renforcés de fibres — Méthode pour l'absorption
accélérée de l'humidité et le conditionnement sursaturé en humidité à
l'aide d'un récipient sous pression scellé*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	2
5 Apparatus	2
6 Test procedure	4
6.1 Weighing test specimens.....	4
6.2 Obtaining supersaturated moisture absorption.....	4
6.3 Sampling of test materials with supersaturated moisture content.....	4
6.4 Confirming the saturated moisture absorbing.....	4
6.5 Measuring mechanical or thermal properties.....	5
7 Precision	5
8 Test reports	6
Annex A (informative) Examples of CFRP and CFRTP specimens with supersaturated moisture condition	7
Bibliography	11