
**Tobacco — Determination of the
content of total alkaloids as nicotine
— Continuous-flow analysis method
using KSCN/DCIC**

*Tabac — Détermination de la teneur en alcaloïdes totaux exprimés en
nicotine — Méthode par analyse en flux continu à l'aide de KSCN/DCIC*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	1
5 Reagents	1
6 Preparation of solutions	2
6.1 General.....	2
6.2 System wash solution.....	3
6.3 5 % acetic acid solution.....	3
6.4 Sampler wash solution.....	3
6.5 Potassium thiocyanate solution.....	3
6.6 Sodium dichloroisocyanurate (DCIC) solution.....	3
6.7 Neutralisation solution A.....	3
6.8 Neutralisation solution B.....	3
6.9 Buffer solution A.....	3
6.10 Buffer solution B.....	3
7 Preparation of standards	3
7.1 General.....	3
7.2 Nicotine stock solution.....	4
7.3 Working standards.....	4
8 Apparatus	4
9 Procedure	4
9.1 Preparation of samples for analysis.....	4
9.2 Test portion.....	4
9.3 Preparation of test extract.....	4
10 Calculation	5
11 Repeatability and reproducibility	5
12 Test report	6
Annex A (informative) Suitable flow diagrams	7
Bibliography	8