

INTERNATIONAL
STANDARD

ISO
23591

First edition
2021-09

**Acoustic quality criteria for music
rehearsal rooms and spaces**

*Critères de qualité acoustique pour les salles et locaux de répétition
musicale*



Reference number
ISO 23591:2021(E)

© ISO 2021



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 General criteria	5
4.1 Quiet acoustic music	5
4.2 Loud acoustic music	5
4.3 Amplified music	6
5 Criteria for rooms for music rehearsal	6
5.1 General	6
5.2 Individual practise rooms	8
5.3 Ensemble rooms	8
5.4 Rehearsal use of recital rooms	8
5.5 Multi-purpose rooms	9
5.6 Criteria for rooms for different types of music	10
5.7 Criteria for reverberation time	14
6 Measurement	18
6.1 Reverberation time	18
6.2 Background noise level	18
7 Information to be recorded and reported	18
Annex A (informative) Determination of sound strength and sound power level from musical instruments	20
Annex B (informative) Guidelines for planning rooms and spaces for music rehearsal	27
Bibliography	29