

ARINC

MARK 2 AIRCRAFT INTEGRATED DATA SYSTEM (AIDS MARK 2)

ARINC CHARACTERISTIC 573-7

PUBLISHED: DECEMBER 2, 1974

AN **ARINC** DOCUMENT

Prepared by
AIRLINES ELECTRONIC ENGINEERING COMMITTEE
Published by
AERONAUTICAL RADIO, INC.
2551 RIVA ROAD, ANNAPOLIS, MARYLAND 21401

IMPROVED ORGANIZATION
OF
ARINC CHARACTERISTIC 573-()
(Including Supplement)

Traditionally, ARINC Equipment Characteristics and Reports are updated by “Supplements” which simply describe the nature of the changes. Generally, such Supplements do not provide revised text material to replace the obsolete sections. When it has become necessary to reprint an ARINC Equipment Characteristic, the routine practice has been to arrange all of the applicable Supplements in the front of the document without further editorial work. The front location indicates the material in the Supplements, which are printed on buff-colored paper, takes precedence over the “White Pages”.

In ARINC 573-(), the changes and new material introduced by the Supplement have been incorporated directly into the applicable specification section, commentary and attachments which are reproduced on “White Pages”. We believe the reader will find this new procedure an advantage, in that he will have a single bound document fully updated with complete specification material, commentary and attachments, all reproduced as new “White Pages”, to reflect current status as of the latest issue date of printing.

The revisions to the “White Pages” are identified by a two-part “Change Flag”. The first part consists of the “ø” symbol, used to show that a change has been made. The second part uses a “dash number” which corresponds to the number of the Supplement in which the change is described. In addition, a vertical line is used to indicate the extent of the updated text material.

The Supplement to ARINC 573 which has been fully integrated into the “White Pages” as described above is reproduced in the back of this ARINC Characteristic. This location serves as a subtle reminder of the different function which a Supplement serves when located in the back of the document. In this case, the Supplement is needed only for a record of what the change consisted of, since the “White Pages” of the “new” document are complete in themselves.

With the revision of this Characteristic as described above, the document identification number now has a “dash number” added which corresponds to the number of the last Supplement integrated into this document.

Obviously, it may become necessary in the future to issue additional Supplements to further revise this document. In this event, the document can be used with such future Supplements in the traditional manner.

This document is based on material submitted by various participants during the drafting process. Neither AEEC nor ARINC has made any determination whether these materials could be subject to claims of patent or other proprietary rights by third parties, and no representation or warranty, express or implied, is made in this regard. Any use of or reliance on this document shall constitute an acceptance hereof “as is” and be subject to this disclaimer.

Copyright © 1993 by
AERONAUTICAL RADIO, INC.
2551 Riva Road
Annapolis, Maryland 24101-7465 USA

ARINC CHARACTERISTIC 573-7[©]
AIRCRAFT INTEGRATED DATA SYSTEM
(AIDS MARK 2)

Published: December 2, 1974

Prepared by the Airlines Electronic Engineering Committee

Characteristic 573	Adopted by the Airlines Electronic Engineering Committee: (Through a Mail Ballot)	April 20, 1970
Characteristic 573	Adopted by the Air Lines Communications Administrative Council for Member Airlines	June 19, 1970
Characteristic 573-1	Adopted by the Airlines Electronic Engineering Committee:	April 23, 1970
Characteristic 573-5	Adopted by the Airlines Electronic Engineering Committee:	June 18, 1971
Characteristic 573-6	Adopted by the Airlines Electronic Engineering Committee:	May 19, 1972
Characteristic 573-7	Adopted by the Airlines Electronic Engineering Committee:	November 8, 1973