

Compressed Gas Association

The Standard For Safety Since 1913

## PREFACE:

As part of a program of harmonization of industry standards, the Compressed Gas Association (CGA) has published CGA G-6.7, *Safe Handling of Liquid Carbon Dioxide Containers that Have Lost Pressure*, jointly produced by members of the International Harmonization Council.

This publication is intended as an international harmonized standard for the worldwide use and application of all members of the Asia Industrial Gases Association (AIGA), Compressed Gas Association (CGA), European Industrial Gases Association (EIGA), and Japan Industrial and Medical Gases Association (JIMGA). Each association's technical content is identical, except for regional regulatory requirements and minor changes in formatting and spelling.

## PLEASE NOTE:

The information contained in this document was obtained from sources believed to be reliable and is based on technical information and experience currently available from members of the Compressed Gas Association, Inc. and others. However, the Association or its members, jointly or severally, make no guarantee of the results and assume no liability or responsibility in connection with the information or suggestions herein contained. Moreover, it should not be assumed that every acceptable commodity grade, test or safety procedure or method, precaution, equipment or device is contained within, or that abnormal or unusual circumstances may not warrant or suggest further requirements or additional procedure.

This document is subject to periodic review, and users are cautioned to obtain the latest edition. The Association invites comments and suggestions for consideration. In connection with such review, any such comments or suggestions will be fully reviewed by the Association after giving the party, upon request, a reasonable opportunity to be heard. Proposed changes may be submitted via the Internet at our web site, <a href="https://www.cganet.com">www.cganet.com</a>.

This document should not be confused with federal, state, provincial, or municipal specifications or regulations; insurance requirements; or national safety codes. While the Association recommends reference to or use of this document by government agencies and others, this document is purely voluntary and not binding unless adopted by reference in regulations.

A listing of all publications, audiovisual programs, safety and technical bulletins, and safety posters is available via the Internet at our website at <a href="www.cganet.com">www.cganet.com</a>. For more information contact CGA at Phone: 703-788-2700, ext. 799. E-mail: <a href="customerservice@cganet.com">customerservice@cganet.com</a>.

Work Item 14-031 Carbon Dioxide Committee

NOTE—Technical changes from the previous edition are underlined.

NOTE—Appendices A, B, and C (Informative) are for information only.

FIFTH EDITION: 2019 FOURTH EDITION: 2009 THIRD EDITION: 2007 SECOND EDITION: 2003

© 2019 The Compressed Gas Association, Inc. All rights reserved.

All materials contained in this work are protected by United States and international copyright laws. No part of this work may be reproduced or transmitted in any form or by any means, electronic or mechanical including photocopying, recording, or any information storage and retrieval system without permission in writing from The Compressed Gas Association, Inc. All requests for permission to reproduce material from this work should be directed to The Compressed Gas Association, Inc., 14501 George Carter Way, Suite 103, Chantilly VA 20151. You may not alter or remove any trademark, copyright or other notice from this work.

Co	ntents	Page
1	Introduction	1
2	Scope and purpose	1
3	Definitions	1
4	Basis	3
5	Warning	3
6	Properties of carbon dioxide	4
7	Temperature and pressure	10
8	Physiological effects of carbon dioxide 8.1 General	11 12 12 12
9	Specific hazards 9.1 General 9.2 Dry ice blocking 9.3 Low temperature effects on materials 9.4 Trapped liquid 9.5 Overfilling containers 9.6 Personnel overexposure 9.7 Thermal expansion and contraction	1313131314
10	Hazards of carbon dioxide container repressurization  10.1 Movement of transportable containers  10.2 Hazards  10.3 Specific precautions	14 15
11	Preliminary procedures for returning depressurized containers to service  11.1 Personnel requirements  11.2 Provisions for alternate source  11.3 Depressurized container evaluation  11.4 Facts to consider in evaluating repressurization methods	18 18
12	Guidelines for evaluation of the condition of a depressurized container  12.1 Container pressure greater than 200 psi (1380 kPa)  12.2 Container pressure less than 200 psi (1380 kPa) but greater than 60.4 psi (416 kPa)  12.3 Container pressure less than 60.4 psi (416 kPa)  12.4 Special low-temperature containers  12.5 Uninterruptible applications	20 21 21
13	Recommended repressurization methods	21 22 23
14	Repressurization methods—not recommended	26 not 26